WAT	TER WEL	L RECORD	Form W	WC-5		r Resources App. N		
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
	ounty: Pawr		1/4 SW 1/4 SW		20	T 22 S	R 15 □E ☑W	
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
3 1/2 South, 4 1/2 East of Larned					Longitude:			
3 1/2 South, 4 1/2 East of Lameu					Elevation:			
2 WATER WELL OWNER: John Mull					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 553 R ROad					GPS unit (Make/Model:)			
City, State, ZIP Code : Pawnee Rock, Ks. 67567					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
2 Y	O'CLEBE TUEL				Est. Accuracy: <	<3 m,	5-15 m,	
	3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 89 ft.							
	SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.							
	N WELL'S STATIC WATER LEVEL37ft. below land surface measured on mo/day/yr6-29-11							
	Pump test data: Well water wasft. after							
	EST. YIELD. N/Agpm. Well water was							
W X	W ELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
	gy Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
	Irrigation   Industrial   Domestic-lawn & garden   Monitoring well							
_	Was a chemical/bacteriological sample submitted to Department? Yes V No							
	S If yes, mo/day/yr sample was submitted							
Water went distincted: [32] Tes [140]								
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other								
Casing diameter .5. in. to .89 ft., Diameter ft., Diameter ft.								
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS:         From								
GRAVEL PACK INTERVALS: From 89 ft. to 20 ft., From ft. to ft.								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout								
Grout Intervals: From ft. to ft., From 20 ft., From ft., From ft. to ft.								
What is the nearest source of possible contamination:  ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage  ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None  Direction from well								
FRC		LITHOLOG		FROM			JGGING INTERVALS	
0	2	Top soil		1 10111	TO DITTIO, D			
2	19	Gray clay						
19	52	Sand & gravel- small to	med, loose					
52	57	Tan clay						
57	89	Sand & gravel- small, I	oose			A. A	WIND AND AND AND AND AND AND AND AND AND A	
		**************************************						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .6-29-11 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 7-2-11								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
	KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							

f.