31 y			www. WWTW				D A N	30086	
WATER WELL RECORD			Form WV	VC-5			r Resources App. N		
1 LOCATION OF WATER WELL:		WATER WELL:	Fraction			Number	Township No.	Range Number R 15 □E ☑W	
County	y: Pawne	9	1/4 SW 1/4 NW			28	T 22 S		
Street/	Rural Add	ress of Well Location;	if unknown, distance &	direction	Global Positioning System (GPS) information:				
from n	earest tow	n or intersection: If at	wner's address, check here .		Latitude: (in decimal degrees)				
3 1/4 North, 5 3/4 East of Zook					Longitude: (in decimal degrees)				
3 1/4 NORTH, 3 3/4 East of 200K					Elevation:				
						Datum: WGS 84, NAD 83, NAD 27			
		COWNER: Lovett L	iving Trust			ion Method:	/a * 1 1		
RR#, Street Address, Box #: 9 Blue Ja City, State, ZIP Code : Santa Fe					GPS unit (Make/Model:)  Digital Map/Photo, Topographic Map, Land Survey				
			e, NM 87501	e, NM 87501		Est. Accuracy: $ < 3 \text{ m},                                   $			
Est. Accuracy: \[ \sigma_3 \text{in}, \[ \sigma_3 \text{5 in}, \[ \sigma_3 \text{5 in}, \[ \sigma_3 \text{5 in}, \]									
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 90 ft.									
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
SECTION BOX:  Depth(s) Groundwater Encountered (1)								day/yr 3-15-12	
WELL'S STATIC WATER LEVEL. 43ft. below land surface measured on mo/day/yr. 3-10-2.  Pump test data: Well water was 57							uning 928 gnm		
Pump test data: Well water was 91. It. after 2 library pumping 1200  EST. YIELD 1200 gpm. Well water was 63 ft. after 3 hours pumping 1200  Bore Hole Diameter 40 in. to 90 ft., and in. to ft.								nning 1200 gnm	
								ф	
w		I r   Bore Hole Diam	neter 4.9		t., and		, LU	Injection well	
		WELL WATER	TO BE USED AS:	Public wat	er supply	, <u> </u>		Other (Specify below)	
X SW	SE	☐ Domestic	☐ Feedlot ☐ (	Dil field wate	er supply		ewatering	Office (Specify below)	
			☐ Industrial ☐ I	Jomestic-lav	vn & gar	den 🔝 Mi	onitoring well		
	Was a chemical/bacteriological sample submitted to Department? Yes V No								
	S	If yes, mo	/day/yr sample was sub	mitted					
	-1 mile	Water well disi	nfected? 🔽 Yes 🗌 1	No					
5 TYPE OF CASING USED: Steel V PVC Other Stainless steel									
GLODIC TODICS FI Class Compad C Welded Threaded									
Cosing diameter 16 in to 90 ft Diameter in to									
Casing height above land surface. 18 in., Weight Sch 40 lbs./ft., Wall thickness or gauge No.									
TVDE	E SCREEN	OR PERFORATION	MATERIAL:						
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)									
	Brass	Galvanized Steel	None used (open he	ole)					
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Use wrapped Saw cut Other (specify)									
SCREEN PERFORATED INTERVALS: From 90 ft. to									
From /5 ft to 55 ft. From It. to It.									
GRAVEL PACK INTERVALS: From 90 ft. to 20 ft., From ft. to									
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft., From 20 ft., From ft. to ft.									
Grout In	tervals:	From ft. t	o ft., From	. 20	ft. to $$	ft.	, From	ft. toft.	
	the nearest	source of possible con-	tamination:				_1		
	Septic tank	Lateral li	nes Pit privy	Livestock		Insecticid		ther (specify below)	
	Sewer lines	☐ Cesspool		Fuel storaş	,-	Abandone		ne	
	Watertight s	sewer lines	pit  Feedyard	Fertilizer s		Oil well/g	,45 44011		
Direc						T TOTAL T	OC (a=#1) = DT	UGGING INTERVALS	
FROM	TO	LITHOLO	GIC LOG	FROM	TO			OUOTING TIATER AVER	
0		op soil		89.5	90	Light gray	& yellow shale		
3		Gray clay							
6		rown clay							
10	14 T	an clay							
14		Gray clay							
20		ellow clay							
23		Sand & gravel- small							
70		Tan & dark green clay							
83		Small sand & gravel/							
	8	clay mixed							
T CONTROL CHORAC OR LANDOW/NED & CERTIFICATION. This water well was 7 constructed   reconstructed, or   plugged									
under my invisition and was completed on (mo/day/year) 3-23-12									
Worses Weter Well Contractor's License No. 134 This Water Well Record Was completed on (mo/day/year)									
by (signature)									
TANOPPALONICALLY OF HALL PRINTED OF HALL PRINT CLEARLY PLEASE THE IN DIANKS and CHECK the correct answers. Settle thick copies									
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Therefore the state of \$3.00 for each constructor with the state of \$3.00 for each constructor.									
http://www.kdheks.gov/waterwell/index.html.  KSA 823-1212  Check: White Copy, Blue Copy, Pink Copy									
KSA 82a-1212 Check: X white Copy, T Fink Copy									