WATE	R WE	LL RECORD	Form W	WC-5		r Resources App. No		
1 LO	CATION	OF WATER WELL:	Fraction		Section Number		Range Number	
Cou	County: Pawnee ½ NE ¼ NE ¼ NE ¼ Street/Rural Address of Well Location; if unknown, distance & direction				10	T 22 S	R 15 □E ☑W	
Stre	et/Rural	Address of Well Location; if	unknown, distance d	Global Positioning System (GPS) information: Latitude:				
from nearest town or intersection: If at owner's address, check here .					Longitude: (in decimal degrees)			
1 South, 7 1/2 East of Larned					Elevation:			
THE PROPERTY OF THE PROPERTY O					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: ALan Crane					Collection Method: GPS unit (Make/Model:)			
RR#, Street Address, Box #: 1191 30th Avenue City, State, ZIP Code : Larned KS 67550					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Larned, KS 67550					Est. Accuracy:			
3 LOCATE WELL 175								
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)							
N WELL'S STATIC WATER LEVEL. 48ft. below land surface measured on mo/day/yr. 5-2-13								
Pump test data: Well water wasft. after hours pumping gpm								
EST. YIELD. N/Agpm. Well water was								
W Bore Hole Diameter 10								
Domestic Deadlet Doil field water supply Dewatering Dother (Specify below)								
sw sE								
Was a chemical/bacteriological sample submitted to Department?								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☑ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .175 ft., Diameter in. to								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL FACE INTERVALS: FIGHT. TAY								
From ft. to ft., From ft. to ft. 6 GROUT MATERIAL: □ Neat cement □ Cement grout ✓ Bentonite □ Other □ Other Grout Intervals: From ft. to ft., From 20 ft. to ft., From ft. from ft.								
Grout Intervals: From ft. to ft., From 20 ft. to ft., From ft. ft. ft. ft.								
What is the nearest source of possible contamination:								
Septic tank Sewer lines								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Grain Bin								
		m well East		. Distance	from well40ft			
FROM 0	TO 3	LITHOLOGIO Top soil	LUG	FROM	TO LITHO. LO	OG (cont.) or PLU	IGGING INTERVALS	
3	23	Tan clay						
23	77	Sand & gravel- small to i	med					
7 7	141	Tan clay						
141	175	Sand & gravel- small to r	ned					
		1						
				 				
				-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .5-19-13 and this record is true to the best of my knowledge and belief								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/dou/sees) 9-4-13								
under the business name of Nosencrantz- Bemis Ent Inc. hy (signature)								
(white, blue, pink) to Kansas Depar tment of Health and Environment, Burgan of Water, Geology Section, 1000 SW, Jackson St., Svite, 400, Tanala, W.								
Cicpitonic	703-270-	3324. Sell a one copy to water	R WELL OWNER and r	etain one for yo	our records. Include fee	of \$5.00 for each con	nstructed well. Vi sit us at	
nttp.//www	v.kuncks.g	ov/waterwell/index.html.						
CSA 82a-1212 Check: ☐ White Copy, ☐ Blue Copy, ☐ Pink Copy								