WATEF	R WEI	L RECORD	Form WV	VC-5	Division of Wate	r Resources App. No	20130813	
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
	ty: Paw		1/4 SE 1/4 NW	1/4 SE 1/4	14	T 22 S	R 15 □E 🗸 W	
			f unknown, distance & direction		Global Positioning			
			owner's address, check here .				(in decimal degrees)	
2S. 8	8F of La	ırned, KS					(in decimal degrees)	
, - <del></del> ,					Elevation:			
2 WATER WELL OWNER: David Blackwell					Datum: WGS 84, NAD 83, NAD 27			
	RR#, Street Address, Box #: 901 Bluff Dr.					Collection Method:  GPS unit (Make/Model:)		
ar ar ama					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
,	Su., 2	Larned,	KS 67550-3422		Est. Accuracy:			
3 LOCA	LOCATE WELL							
	WITH AN "X" IN SECTION BOX:  N  4 DEPTH OF COMPLETED WELL 80 ft.  Depth(s) Groundwater Encountered (1).30 ft. (2) ft. (3) ft.  WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr. 09/30/13 ft.  Pump test data: Well water was ft. after hours pumping gpm  EST. YIELD. 80 gpm. Well water was ft. after hours pumping gpm							
SECT								
W	Bore Hole Diameter							
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SW	□ Domestic □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below) □ Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well							
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
	S If yes, mo/day/yr sample was submitted							
	1 mile		ifected? <b>A</b> Yes <b>N</b>		***************************************			
water wen disinfected: [12] 140								
5 TYPE OF CASING USED: Steel PVC Other Other								
CASING JOINTS: Glued Clamped Welded Threaded  Casing diameter 5								
Casing height above land surface. 12								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From 60 ft. to 80 ft., From ft. to ft.								
From								
From								
Grout Intervals: From .0								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
	Sewer lin	nes	Sewage lagoon	-	e 🔲 Abandone			
		ht sewer lines	pit  Feedyard	] Fertilizer st				
				~ <del>****</del>			TO OR I OR WITHOUT IN A	
FROM	ТО	LITHOLOG	GIC LOG	FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0	2	top sand						
2	40	clay			Charter Er		W	
40	80	sand and gravel				Highway 281	жите во постановните сторительностью стору ф. 1939 бугоствое на поблика сторит разлических постанов.	
		***************************************			Great Ben	d, KS 67530	The state of the s	
					Displayed	44.1	MARKET MATERIAL TO THE TOTAL THE TOT	
					Blackwell	# 1		
						Company of the Compan	EARLY OF THE PROPERTY OF THE P	
-	-							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .09/30/13 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/year) 10/06/13								
under th	e busine	ss name of Kelly's Wate	er Well Service, Inc.	,, 011 10	. by (signature)	Kallum	LGood	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to								
	Kansas D	epartment of Health and Enviror	ment, Bureau of Water, Geole	ogy Section, 10	000 SW Jackson St., Suit	e 420, Topeka, Kansa	as 66612-1367.	
Lelepho	Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							

http://www.kdheks.gov/waterwell/index.html