WATE	R WEI	L RECORD	Form W	WC-5	Division of Wate	r Resources App. No	20130923	
		OF WATER WELL:	Fraction	. 17 <b>NIT</b> 17	Section Number	Township No.	Range Number	
	ty: Pav		1/4 NE 1/4 SE			T 22 S	R 15 □E ☑W	
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
					Longitude: (in decimal degrees)			
1/4	1/4 South, 7 1/2 East of Larned					Elevation:		
2. WATER WELL OWNER,					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: H & B Petroleum Corp RR#, Street Address, Box #: P.O. Box 277					Collection Method:  GPS unit (Make/Model:)			
C'i Ci i ZID Ci li				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City	City, State, ZIP Code : Ellinwood, KS 67526					Est. Accuracy:		
3 LOCATE WELL 160								
	H AN "X							
SEC	FION BO N							
	Pump test data: Well water wasft. after hours pumping gpm							
) I	EST. YIELD. N/Agpm. Well water wasft. after hours pumping							
w	Bore Hole Diameter 10							
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SV	SW  SE   □ Domestic □ Feedlot ☑ Oil field water supply □ Dewatering □ Other (Specify below)							
	Irrigation   Industrial   Domestic-lawn & garden   Monitoring well							
	Was a chemical/bacteriological sample submitted to Department?  Yes V No  If yes, mo/day/yr sample was submitted							
mile  Water well disinfected?								
Water wen distincted: W 163 1140								
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other								
Casing diameter .5 in. to .160 ft., Diameter ft., Diameter in. to ft.								
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 160 ft. to .20 ft., From ft. to ft.								
From								
Grout Intervals: From ft to ft From 20 ft to 6 From 6 ft to 6 From 6 ft to 6 ft From 20 ft to 6 From 6 ft to 6 ft From 20 ft to 6 ft From 6 ft to 6								
What is	the near	est source of possible conta	mination:	*************	16. 60	110111	. 11. 10	
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None  Direction from well								
FROM	TO	LITHOLOG		FROM			GGING INTERVALS	
0	4	Top soil	10100	TROM	TO EITHOLE	oc (cont.) or 1 Be	GOITG ITTERVALD	
4	25	Tan clay						
25	54	Sand & gravel- small						
54	138	Tan clay/ short streaks	of sand					
		& gravel						
138	160	Sand & gravel- med	****					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This works well was 17 countries of 1								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 11-22-13								
under the business name of Rosencrantz- Bemis Ent Inc by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: ☑ White Copy, ☐ Blue Copy, ☐ Pink Copy								

20130923