WATER WELL RE	CORD	Form WV	WC-5	Division of Water	Resources App. No		
1 LOCATION OF WA	ATER WELL:	Fraction			Township No.	Range Number	
County: Pawnee	CANTILL	1/4 NE 1/4 NE		24	T 22 S	R 15 □E 🗹 W	
	f unknown, distance &	Global Positioning System (GPS) information: Latitude: .38,13049					
from nearest town or intersection: If at owner's address, check here				Longitude: 098.91318 (in decimal degrees)			
5 South, 1 West of Nadidin				Elevation:			
2 WATER WELL OWNER: Point View Cemetary				<u>Datum</u> : ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 109 E 18th				Confection Method: ☐ GPS unit (Make/Model:)			
City, State, ZIP Code : Larned, KS 67550				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy:							
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF C	COMPLETED WELL	. 94	ft.			
SECTION BOX:	X: Depth(s) Groundwater Encountered _(1)						
N	WELL'S STATIC WATER LEVEL. 51 ft. below land surface measured on mo/day/yr. 4-10-15						
1 1 1	Pump test data: Well water was ft. after hours pumping gpm EST. YIELD. N/A gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 10 in. to 94 ft., and in. to ft.						
W NW NE E							
" _ _ _ L	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well						
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted							
mile Water well disinfected? \(\overline{\pi} \) Yes \(\overline{\pi} \) No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: V Glued Clamped Welded Threaded							
Casing diameter .5 in. to .94 ft., Diameter in. to ft., Diameter ft.							
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
		From f	t. to	ft., From	ft. t	o ft.	
GRAVEL PAC	CK INTERVALS:	From 94 f	t. to	ft., From	tt. t	io ft.	
From							
Grout Intervals: From ft. to ft., From 20 ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well						er (specify below)	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None							
				from well			
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	JG (cont.) or PLU	GGING INTERVALS	
	y top soil y brown clay						
T. T	Sandy blown clay Sandy clay & sand						
	Sand & gravel- small to med						
80 94 Tan 8	gray clay						
			-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, □ reconstructed, or □ plugged							
under my jurisdiction and was completed on (mo/day/year) .4-19-15							
under the business name of Rosencrantz-Bemis Ent Inc. by (signature)							
INSTRUCTIONS: Use typ	ewriter or ball point per	. PLEASE PRESS FIRMLY	and PRINT cle	arly. Please fill in blanks	and check the correct a	answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html							