	WELL R		rm WW				sion of Water	18,611	Ι,				
	Record		Change in V				urces App. No			Well ID			
		ATER WELL:	Fra	Fraction Se			tion Number 16	Township Nur					
							al Address where well is located (if unknown, distance and						
Business:							rection from nearest town or intersection): If at owner's address, check here:						
Address: 320 Rush Avenue													
Address: 2 1/4 South, 5 3/4 East of Larned											1		
City:	Larned	1			T								
	OCATE WELL 4 DEPTH OF COMPLETED WELL:99.							. ft. 5 Latitude:(decimal degrees)					
SECTION ROY. Depth(s) Groundwater Encountered: 1)													
2)													
		below land s	below land surface, measured on (mo-day-yr)2-2-18					for Latitude/Longit					
No	NE	above land s	above land surface, measured on (mo-day-yr)				-						
Pump test data: Well water was					ft.	☐ Land Survey ☐ Topographic Map							
w							Online Mapper:						
Well water was							ļ						
Estimated Vield: 1				nm			6 Elevat	ion:	ft. [Ground	Level 🗌 TOC		
S Bore Hole Diameter:				in. to	99 1	ft. and	Source: Land Survey GPS Topographic Map						
1 mile in. to ft.													
7 WELL WATER TO BE USED AS:													
1. Domestic: 5. ☐ Public Water Supply: well ID													
☐ Household 6. ☐ Dewatering: how many wells? ☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID													
Livestock Aquilet Rectarge: well ID													
2. Irrigation 9. Environmental Remediation: well ID.													
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Ex							b) Open Loop Surface Discharge Inj. of Water						
4. Industrial Recovery Injection 13. Other (specify):													
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:													
Water well disinfected? ■ Yes □ No													
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other													
Casing diameter 16 in to 99 ft., Diameter in to ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 18 in Weight Sch 40 lbs/ft. Wall thickness or gauge No.													
Casing height above land surface													
Steel ■ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)													
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)													
□ Louvered Shutter □ Key Punched □ Wire Wrapped ■ Saw Cut □ None (Open Hole)													
SCREEN-PERFORATED INTERVALS: From 92 ft. to 62 ft., From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft., From ft.,													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From													
Nearest source of possible contamination:													
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
Sewer		Cess		☐ Sewag			Fuel Storage			ed Water			
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well ☐ Other (Specify) None													
Direction from well? ft.													
10 FROM	TO	LITH	OLOGIC			FRÖM		LITHO. LOG (cont		LUGGIN	G INTERVALS		
0		Top soil											
3		Brown gray clay											
19		Gravel- small me											
49		Gravel- med to p	oea size o	lean coarse	e								
79		Tan clay	- d										
81		Gravel- small me	ed coarse	w/ gray cla	ay	Nadara							
93	99	Gray clay				Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year) 3-12-18 and this record is true to the best of my knowledge and belief.													
Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo-day-year)3-13-10													
under the business name of Rosencrantz Remis. Ent Jnc Signature													
100	SW Jackson	ong with a fee of \$5.06 St., Suite 420, Topeka,	Kansas 6661	2-1367 Mail c	one to W	ater Well Ow	ner and retain o	ne for your records. To	elepho	ne 785-296	-5524.		
		s.gov/waterwell/index		1507. Hall		SA 82a-12					17/10/2015		