County: Pawnee SE 1/4 SE 1/4 SE 1/4 17 T 22 S R Distance and direction from nearest town or city street address of well if located within city? 3S of Larned, Ks. 2 WATER WELL OWNER: Chris and Mecia Crenshaw RR#, St. Address, Box #: 800 W. 11th St. City, State, ZIP Code Larned, Ks. 67550 Board of Agriculture, Division of Application Number: unknown Depth of Completed Well 68 ft. Elevation: unknown Depth(s) Groundwater Encountered 1. 38 ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 38 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping Est. Yield 20 gpm: Well water was ft. after hours pumping Bore Hole Diameter 8 in to 68 ft., and in to	
Distance and direction from nearest town or city street address of well if located within city? WATER WELL OWNER: Chris and Mecia Crenshaw RR#, St. Address, Box #: 800 W. 11th St. City, State, ZIP Code Larned, Ks. 67550 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 38 ft. ELEVATION: Unknown Depth(s) Groundwater Encountered 1. 38 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping Est. Yield 20 gpm: Well water was ft. after hours pumping Bore Hole Diameter 8 in. to 68 ft., and in. to	f Water Resource
WATER WELL OWNER: WATER WELL OWNER: Board of Agriculture, Division of Application Number: Larned, Ks. 67550 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 38 ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 38 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping strictly below by the surface pumping. Est. Yield 20 gpm: Well water was ft. after hours pumping. Bore Hole Diameter 8 in to 68 ft., and in to	
WATER WELL OWNER: Chris and Mecia Crenshaw RR#, St. Address, Box # 800 W. 11th St. City, State, ZIP Code Larned, Ks. 67550 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 38 ft. 2 ft. 3. WELL'S STATIC WATER LEVEL 38 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping Est. Yield 20 gpm: Well water was ft. after hours pumping Bore Hole Diameter 8 in to 68 ft., and in to	
RR#, St. Address, Box # 800 W. 11th St. Board of Agriculture, Division of Application Number: Larned, Ks. 67550 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 38 ft. 2 ft. 3. Depth(s) Groundwater Encountered 1 38 ft. 2 ft. 3. WELL'S STATIC WATER LEVEL 38 ft. below land surface measured on mo/day/yr 6- Pump test data: Well water was ft. after hours pumping 5. Est. Yield 20 gpm: Well water was ft. after hours pumping 6. Bore Hole Diameter 8 in to 68 ft., and in to	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 38 ft. 2. ft. 3. Depth(s) STATIC WATER LEVEL 38 ft. below land surface measured on mo/day/yr 6-Number: Pump test data: Well water was ft. after hours pumping bore Hole Diameter 8 in to 68 ft., and in to	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 38 ft. 2 ft. 3. WELL'S STATIC WATER LEVEL 38 ft. below land surface measured on mo/day/yr 6- Pump test data: Well water was ft. after hours pumping for the surface measured on mo/day/yr 6- Pump test data: Well water was ft. after hours pumping for the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping for the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping for the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping for the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping for the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping in to 10- Bore Hole Diameter 8 in to 68 ft. after hours pumping in to 10- Bore Hole Diameter 8 in to 68 ft. after hours pumping in to 10- Bore Hole Diameter 8 in to 68 ft. after hours pumping in to 10- Bore Hole Diameter 8 in to 68 ft. after hours pumping in the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping in the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping in the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping in the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping in the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping in the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping in the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping in the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping in the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping in the surface measured on mo/day/yr 6- Bore Hole Diameter 8 in to 68 ft. after hours pumping in the surface measure	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 38 ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 38 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping Est. Yield 20 gpm: Well water was ft. after hours pumping Bore Hole Diameter 8 in. to 68 ft., and in. to	
WELL'S STATIC WATER LEVEL	
WELL'S STATIC WATER LEVEL	
Pump test data: Well water was ft. after hours pumping . Est. Yield 20 gpm: Well water was ft. after hours pumping . Bore Hole Diameter 8 in to 68 ft., and in to	·28-97
Est. Yield . 20	
Bore Hole Diameter8in. to68	gpm
· W	gpm
WELL WATER TO BE LISED AS: 5 Diable contact to All and district	
. " I I WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection of	well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Sp	pecify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	• '
Was a chemical/bacteriological sample submitted to Department? Yes	
	•
TVACC. VOII DIOINICCIOC: 105	No .
o control will be a series of the control of the co	•
Slank casing diameter5in. to48ft., Diain. toft., Dia	
asing height above land surface12in., weight2.8lbs./ft. Wall thickness or gauge No Sch	40
YPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
OPEN OF PERSONATION OF PRINCIPLE AND	- (bala)
o Salate Mapped	e (open hole)
o time mapped	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
70 π. τοπ. το	
From	
GRAVEL PACK INTERVALS: From 20 ft. to 68 ft., From ft. to ft.	
From ft. to ft., From ft. to	ft.
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
arout Intervals: From0ft. to20ft., Fromft. toft., Fromft.	
That is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas	· -
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (spec	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storagehome.	
irection from well? East How many feet? 65 FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVAL	
	3
15 40 clay	
40 68 sand and grave1	-
A MARIA MAN BANTON	
Same and Brains	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my juri	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my juri ampleted on (mo/day/year)	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my juri	