20	5 54	82 WA	TER WELL RE	CORD	Form WWC-	-5 KSA	82a-1212 ID	No. Well #1				
1 LOCAT	ION OF WA	TER WELL:	Fraction	00.11			ection Number		Number	Range Number	r (
County:	Pawnee		NE 1/	⁴ SW	1/4 NV	V 1/4	6	T 22	s	R 16	: (w)	
		n from nearest t	own or city stree				city?			-l		
			mile south of L				•					
				arrica								
ZWATER	VVELL OV	/NER: Jean B. Ma	rtin Revocable Trust					Donal of A		Division of Water Day		
RR#, St. A	Address, Bo	x # : c/o Jean Ma Route 2 - B	ox 167B					Application	-	Division of Water Res	sources	
		Oberlin, KS								VK PNOU		
	IN SECTIO		4 DEPTH OF				~					
AN X	IN SECTION	IN BUX.	Depth(s) Grou			1	ft	. 2	ft. 3		. ft.	
A WELL'S STATIC WATER LEVEL 18 π. below land surface measured on mo/day/yr							o/day/yr 4	-26-02				
Pump test data: Well water was Not checked ft. after hours pu												
-	Est. Yieldgpm: Well water						r wasft. after 43 ft., and					
¥ w	i	i _ j	Bore Hole Diar	neter	²⁴ in. t	o	43 ft.,	and		in. to	ft.	
½ W -		E	WELL WATER	TO BE US	ED AS: 5	Public water	r supply	8 Air conditioning	•	11 Injection well		
			1 Domestic	3 F	eedlot 6	Oil field water	er supply	9 Dewatering		12 Other (specify belo	w)	
-	- sw	SE	2 Irrigation	4 lr	ndustrial 7	Domestic (la	awn & garden)	10 Monitoring well				
🛊	i	i				•	• .	•	/	and day been named a w	an aub	
<u>-</u>	Was a chemical/bacteriological sample submitted to Department? Yes No V If yes, mo/day/yrs sample submitted Water Well Disinfected? Yes											
5 TYPE C	DE DI ANK (CASING USED:	mitted	5 M/	abtica	8 Conc	rete tile	CASING J			_	
					ight iron	_	(specify below)		Well.	ded		
1) Steel		3 RMP (SR)			stos-Cement							
2 PVC		4 ABS		7 Fibe	•					eaded		
4	sing diamete		in. to	25	ft., Dia	16	in. to3	5 ft., Dia	or gauge 1	in. to	ft	
Casing h	eight above	land surface	18	in., weig	ht	36.87	lbs	./ft. Wall thickness	or gauge I	No .219		
TYPE O	F SCREEN	OR PERFORA	TION MATERIA			7 PVC		10 As	bestos-ceme	ent		
1)Stee	el	3 Stainless	steel	5 Fibe	erglass	8 RMP	(SR)	11 Ot	ner (specify)			
2 Bras	SS	4 Galvanize	ed steel	6 Cor	crete tile	9 ABS		12 No	ne used (ope	en hole)		
SCREEN	OR PERF	ORATION OPE	NINGS ARE:		5 Gauzed wr	apped		8 Saw cut	11	None (open hole)		
1 Coi	ntinuous slot	3	Mill slot		6 Wire wrapp			9 Drilled holes		,, ,		
	vered shutte		Key punched		7 Torch cut			10 Other (speci		Slot	ft.	
		ATED INTERVALS:	From	25	ft. to	33	ft., Fror	~	64		ft.	
			From	35	ft. to	43	ft., Fror	m	fi ·	to .	£4	
	GRAVEL	PACK INTERVAL		20			ft., Fror				ft.	
	_		From					n	ft.	to	ft.	
6 GRO	LITAGATED		. 🙃					•				
H GRO	UT MATER	IAL: 1 Neat	cement 2 Cer	nent grout	3 Benton	ite	4	Other				
Grout In	tervals: Fro	om 0	ft. to 2	0	ft., From		ft. to	ft., From		ft. to	ft.	
What is the nearest source of possible contamination:							10 Livestock p	ens	14 A	bandoned water well		
1 Septic tank 4 Lateral lines 7 Pit privy							11 Fuel storage			15 Oil well/Gas well		
2 Sewer lines 5 Cess pool 8 Sewage lago										16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None known												
Direction	from well?						How mar	ny feet?				
FROM	ТО		LITHOLOGIC L	og		FROM	ТО	PL	UGGING II	NTERVALS		
0	4	Topsoil										
4	6	Clay, gray										
6	34	Sand and gra	vel, medium, co	arse								
34	39	Clay										
39	42	Clay with san	dstone	·		T						
42	43	Clay, yellow						.,				
	 	J. C. C. J. J. C.										
		<u> </u>					 					
	 	1				+		<u> </u>				
	 						- 					
	<u> </u>					+						
	ļ	-										
	 					4	+					
	<u> </u>					1						
7 CONTR	ACTOP'S OF	I ANDOWNED'S	CERTIFICATION:	This water	or well was (1)	constructed	(2) reconstr	ucted , or (3) plug	aged	nder my jurisdiction and	was	
	l on (mo/da)		CERTIFICATION.	4/26/02					-	nowledge and belief.		
		r's License No	185	7/20/02		ell Record v		on (mo/day/yr)		5-2-#2v		
			Vell & Equipmen	t Inc	7.1.5 TTG161 VV		· · · · · · · · · · · · · · · · · · ·	(cionature)				
					DINT deads Discour	fill in blanks			three corine t	o Kanege Danadmant -611	lth and	
i inatkuc								correct answers. Send to for your records. Fee of \$5		o Kansas Department of Hea	mi allu	