		. WA	TER WELL REC	ORD Form	WWC-5	KSA 82a-	1212	ID No								
_		TER WELL:					nber	Town	Township Number			Range Number				
	Pawnee		NE 14		SW		32_		T	_22_	S	R	16_	½ ./w		
			vn or city street a		if located	within city?										
			of Zook,	KS.												
		NER: Cairo														
RR#, St. Ad		" .	Dellrose									ivision of V		esources		
City, State,			ta, Ks. 67			01		=:=:0		ication N		24309	9			
			4 DEPTH OF C													
AN "X" IN	SECTION I	BOX:	Depth(s) Groun	ndwater Encour	ntered ⊏ı ⊿ı́	1 t bold	land e	ft. 2 .			ft. 3	2-7-0	 K	ft.		
	ı		Pui	mp test data:	Well wate	r was66	ow land s	ft. afte		2	. hours p	umpina	400	apm		
	- NE	mp test data: \4.90gpm: \	Well wate	r was7.4		ft. after		3	. hours p	umping	490	gpm				
	- NE		D BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well													
w	E		3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well													
- 1	I'		2 Irrigation	- 4 111000111	u ,	Domostic (lav	vii a gaic	2011) 10	Wichiton	ng won	•••••		••••••	••••••		
	-SW	- SE	Mas a shamisa	.l /b o oto vi a lo ai o o			Damanton.	+0 V	NI-	v .		/-				
Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs sample was water Well Disinfected? Yes HTH No																
	1	1	***************************************					******	WOII DI	Simoolog	. 100 2		110			
E TYPE C	S	MOING HOED		- 144		8 Concre						. V				
_			•				below)	CASI	NG JOIN		dX C led					
				7 Fiberglass				,				aded				
Blank casing diameter 16 in. to 61 ft., Dia in. to ft., Dia in. to ft., Dia in. to												ft.				
Casing heig	ht above la	nd surface	12	in., weight	Scl	າ 40		lbs	./ft. Wall	thicknes	s or guag	je No				
		R PERFORATIO			7 PVC					10 Asbe						
				5 Fiberglass					11 Other (Specify)				•••••			
2 Bras	S	4 Galvaniz	zed Steel	6 Concrete ti	le	9 AB	S			12 None	used (or	en hole)				
SCREEN C	R PERFOR	RATION OPENII	NGS ARE:			ed wrapped			Saw c			11 None	(open h	nole)		
	inuous slot		fill slot		6 Wire wrapped 7 Torch cut				Drilled					ft		
	ered shutte	_	Cey punched	01												
SCREEN-P	PERFORATE	ED INTERVALS	: From	81	.ft. to	OT	ft.,	From	•••••		ft. to			ft.		
G	RAVEL PAG	CK INTERVALS	: From	81	. ft. to	20	ft	From			ft. to	·		ft.		
			From		.ft. to		ft.,	From			ft. to			ft.		
e coou	T MATERIA	I	t cement	0.0		0 D		4.0	MI	hole	חלווס					
		2 Cement	2 Cement grout 3 Bentonite ft., From ft. to													
			contamination:	IL., FIO	III	IL. 1		Livestock		III .		it. io Abandoned				
	tic tank	4 Late		7	Pit priva									ven		
	er lines	5 Cess		7 Pit privy8 Sewage lagoon			11 Fuel storage12 Fertilizer storage				15 Oil well/Gas well16 Other (specify below)					
		er lines 6 Seep		9 Feedyard			Insecticio				lone					
Direction from	-	, ,,,,,,,	pago pit	ŭ	rocayan	•		w many fe	_	,.		***************************************		•••••		
	FROM TO LITHOLOGIC L				OG FROM				71.77				GGING INTERVALS			
0	2	Sandy top				1			B 1500 11					25000		
2	25			fine sand	1											
25	32	Brown sandy clay & fine sand Brown & white clay										¥				
32	40	Fine sand & gravel														
40	45	KX Brown														
45	50	Brown sar														
		of sand														
50	80	Sand & gravel														
80		Gray clay														
	15.0		2/14													
			451													
CONTR.	ACTOR'S	R LANDOWNE	ER'S CERTIFICA	TION: This wa	ter well w	as (1) constr	ucted, (2	2) recons	tructed,	or (3) plu	igged un	der my jur	isdiction	and was		
completed of	n (mo/day/y	/ear)3 8	3-06				and	this recor	d is true	to the bes	st of my k	nowledge a	and belie	ef. Kansas		
			1.34		his Water	Well Record	was con									
under the b	usiness nan	ne of Rose	encrantz- 1	Bemis				by (sig	nature)	1		34.				