WATER WELL RECO		Form WWC-5			Division of Water Resources App. No.			
1 LOCATION OF WATE	RWELL: Fraction	Fraction SC 14 NE 14 NE 14		Section Number Township No. Range Number T Z S R / D DE WW				
County: PHUNGE SE 485 416 9 Street/Rural Address of Well Location; if unknown, distance & c			4 Claha		T 22 S			
				Global Positioning System (GPS) information: Latitude:				
from nearest town or intersection: If at owner's address, check here				Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
				Elevation: (in decimal degrees)				
			— Datum	n: \square WGS 8	4, □ NAD 83, □	 1 NAD 27		
2 WATER WELL OWNER: BRUCE KOZ LOWSKI RR#, Street Address, Box #: 875 170TH AVE				Collection Method:				
RR#, Street Address, Box #: 875 1701 AUE				GPS unit (Make/Model:)				
City, State, ZIP Code	: LARNED, KS	107550		Digital Map/Ph	oto, 🗌 Topographi	ic Map, Land Survey		
3 LOCATE WELL			Est. A	Accuracy: [] <	3 m,] 5-15 m,		
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 200" ft.								
	epth(s) Groundwater Encount				ft ((3) ft		
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
Pump test data: Well water wasft. after hours pumping								
EST. YIELDgpm. Well water wasft. after hours pumping								
W E Bore Hole Diameterin. toft., andin. toft.								
WELL WATER TO BE USED AS: ☐ Public water supply ☑ Geothermal ☐ Injection well								
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
S If yes, mo/day/yr sample was submitted								
water wen distincted? [] Tes [] No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Threaded Threaded								
Casing diameter								
Casing height above land surface in., Weightlbs./ft., Wall thickness or gauge No								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.								
Grout Intervals: From								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						ner (specify below)		
Sewer lines	Cesspool Sewage 1				d water well			
Direction from well	Seepage pit Feedyard	f Fertilizer	storage	Oil well/ga	as well	Hikk		
FROM TO	LITHOLOGIC LOG	FROM	TO TO			JGGING INTERVALS		
0 50' FINE.	· · · · · · · · · · · · · · · · · · ·	200'	0	BH-20		OOHO HYTEKVALS		
	ESAND			1)11-20		**************************************		
55' 60' foff	Clay			:		MARIE A. S. C.		
60' 180' SAND	Charles 7					Minimum and the second		
	v CLAY							
185 200' BLEVE	CLRY		· · · · · · · · · · · · · · · · · · ·			Manufacture delication of the second of the		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 2.9.7.2.1								
under my jurisdiction and was completed on (mo/day/year) 9.7.7.4.7								
Kansas Water Well Contractor's License No. 8.13. This Water Well Record was completed on (mo/day/year)								
under the business name of fine from the first three first three copies in the first three fills in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Depa	artment of Health and Environment.	, Bureau of Water, Geo	logy Section	on, 1000 SW Ja	ckson St., Suite 420	Topeka, Kansas 66612-1367.		
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212					F 1	Into		

5 Holes