WATE	R WE	LL RECORD	Form W	WC-5	D	ivision of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL:		Fraction 1/4 NW 1/4 NV	/ 1/2 NE 1/		on Number 20	Township No. T 22 S	Range Number R 16 □E ☑W		
County: Pawnee									
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Global Positioning System (GPS) information:  Latitude:			
						Longitude: (in decimal degrees)			
3 south of Larned						Elevation:			
						Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Dale Zook						Collection Method:			
RR#, Street Address, Box #: 519 Martin Ave.						GPS unit (Make/Model:)			
City, State, ZIP Code : Larned.			Ks. 67550			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
				Est. A	Est. Accuracy:				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .1.1.5									
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)								
			toot data: Wall wate	- was 47	. Delow	and surface i	hours num	ping. 572 gpm	
	X	DOT VIELD 93	5 cmm Well wate	- was 52		. allei 2 1/2	hours pum	ping. 312 gpin	
W NE - NE							ping gpin		
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
S\	w   s	BE Domestic							
✓ Irrigation									
	S						ies 🖭 No		
S If yes, mo/day/yr sample was submitted									
· .		water wen dishin							
5 TYPE OF CASING USED: Steel V PVC Other									
CASIN	ig join'	ΓS: 🗹 Glued 🔲 Clam	ped  Welded	☐ Threade	d				
Casing diameter .16 in. to .115 ft., Diameter in. to ft., Diameter ft.									
Casing height above land surface18									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Diffied noies ☐ Noile (open noie) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From70									
GRAVEL PACK INTERVALS: From 115 ft. to .20 ft., From ft. to ft.									
From									
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other									
Grout Intervals: From									
		est source of possible contain	mination:			,			
	Septic ta			Livestock	pens	☐ Insecticide	storage	er (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None									
		n well							
FROM		LITHOLOGI	C LOG	FROM	TO	LITHO. LC	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0	26	Clay & fine sand							
26	64	Sand & gravel							
64	66	Tan clay							
66	70	Sand & gravel							
70	107	Blueish gray clay							
107	115	Small sand & gravel							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \bigsize \) constructed, \( \propto \) reconstructed, or \( \propto \) plugged									
under my jurisdiction and was completed on (mo/day/year) .11711 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 1-24-11									
under the business name of Rosencrantz-Bemis by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdbeks.gov/waterwell/index.html									
http://www.kdheks.gov/waterwell/index.html.  KSA 920 1212 Check: V White Conv.  Plue Conv.  Pink Conv.									
KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy									