

1] LOCATION OF WATER WELL:		Fraction	Form WWS-3		Section Number	Township Number		Range Number	
County: Pawnee		NE 1/4 SW 1/4 SE 1/4	4		T 22 S		R 16		XXW
Distance and direction from nearest town or city street address of well if located within city?									
Approximately 1/2 mile east and 1/2 mile south of Larned, KS									
2] WATER WELL OWNER:		Ward Feed Yard							
RR#, St. Address, Box # :		Box "H"							
City, State, ZIP Code :		Larned, KS 67550-0380							
		Board of Agriculture, Division of Water Resources							
		Application Number:							
3] LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4] DEPTH OF COMPLETED WELL: 45 ft.		ELEVATION: unknown					
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 14 ft. below land surface measured on mo/day/yr							
		Pump test data: Well water was not ch'd ft. after hours pumping gpm							
		Est. Yield unknown gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 9 in. to 45 ft., and in. to ft.							
5] TYPE OF BLANK CASING USED:		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued X Clamped			
1 Steel		3 RMP (SR)		6 Asbestos-Cement		Welded			
2 PVC		4 ABS		7 Fiberglass		Threaded			
Blank casing diameter 5 in. to 23 ft., Dia		in. to ft., Dia		in. to ft., Dia		in. to ft.			
Casing height above land surface 24 in., weight 2.36 lbs./ft.		Wall thickness or gauge No. 214							
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC		10 Asbestos-cement					
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)		11 Other (specify)	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped		8 Saw cut		11 None (open hole)			
1 Continuous slot		3 Mill slot		6 Wire wrapped		9 Drilled holes			
2 Louvered shutter		4 Key punched		7 Torch cut		10 Other (specify)			
SCREEN-PERFORATED INTERVALS:		From 23 ft. to 38 ft., From		ft. to ft. to ft.					
GRAVEL PACK INTERVALS:		From 21 ft. to 38 ft., From		ft. to ft. to ft.					
6] GROUT MATERIAL:		1 Neat cement		2 Cement grout		3 Bentonite		4 Other Bentonite Holeplug	
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.		ft. to ft. to ft.		ft. to ft. to ft.		ft. to ft. to ft.		ft. to ft. to ft.	
What is the nearest source of possible contamination:		1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage		14 Abandoned water well	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage		15 Oil well/Gas well	
Direction from well? south						13 Insecticide storage		16 Other (specify below)	
						Pasture/Corrals			
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 5 Sandy Topsoil									
5 13 Sand									
13 15 Clay, tan									
15 33 Sand and Gravel, coarse, clean									
33 40 Sand, fine, clean									
40 45 Sand, fine, silty									
7] CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-4-90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 9-11-90 under the business name of Clarke Well & Equipment, Inc. by (signature) [Signature]									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									