WATEI	R WEI	L RECORD	Form W	WC-5	Div	vision of Wate	r Resources App. No	20110254		
		OF WATER WELL:	Fraction	to produce the second s		on Number	Township No.	Range Number		
	ty: Paw		if unknown distance 6		Claha	7 I Dogitioning	T 22 S	R 16 □E ☑W		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Global Positioning System (GPS) information: Latitude:				
1S of Larned, KS						Longitude: (in decimal degrees)				
						Elevation:				
2 WATER WELL OWNER: Jim & Tammy Froetschner						Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:				
RR#, Street Address, Box #: 1239 M5 Road						GPS unit (Make/Model:)				
City,	State, Z	IP Code : Larned	. KS 67550		Digital Map/Photo, Topographic Map, Land Survey					
Est. Accuracy:										
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 48						ft.				
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1).10						ft. (2) ft. (3) ft.			
SECTION BOX: N Depth(s) Groundwater Encountered (1).10								ay/yr. V0/10/11		
EST. YIELD. 60gpm. Well water was						ft. after hours pumpinggpm				
W E Bore Hole Diameterft., andft.								ft.		
SWSE Domestic								Other (Specify below)		
Was a chemical/bacteriological sample submitted to Department? Yes Monttoring Weil										
S If yes, mo/day/yr sample was submitted										
1 mile Water well disinfected? ✓ Yes □ No										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Threaded Threaded										
Casing diameter .5 in. to .10										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From. ft. to										
GRAVEL PACK INTERVALS: From 10 ft. to 48 ft., From ft. to ft.										
From ft. to ft., From ft. to ft.										
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout										
Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft., From ft.										
What is the nearest source of possible contamination: Septic tank										
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storag						e Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer stora Direction from well						rage ♥ Oil well/gas well rom well . 110.				
FROM	TO	LITHOLOG	GIC LOG	FROM	TO W			IGGING INTERVALS		
0	2	top soil		110171		2.1110.10	- 5 (50m) <u>or</u> 1 me	- Jan 10 MILLIET THE		
2	8	clay	, , , , , , , , , , , , , , , , , , , ,			Double F l	Jnit 1			
8	25	sand and gravel								
25	48	clay					illing Company			
		Variance called for an	d received	-	,,	P O Box 1 Pratt, KS 6				
		from Richard Harper K		+		i iau, No t), LT			
			(a) 0100 am				WHA 100 A	***************************************		
								Pirita		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\subseteq \) constructed, \(\subseteq \) reconstructed, or \(\subseteq \) plugged										
under my jurisdiction and was completed on (mo/day/year) .06/16/11 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No186 This Water Well Record was completed on (mo/day/year) .06/19/11										
under the business name of Kelly's Water Well Service. Inc. by (signature) Kathuga L. Brad										
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies										
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html.										
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy										