WATE	R WEI	L RECORD	Form W	WC-5	Division of Wate	r Resources App. No	20120582	
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
	ty: Paw		1/4 SW 1/4 NW		2	T 22 S	R 16 □E 🗹 W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information: Letitude:								
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
15, 2E of Larned, NS					Elevation:			
2 WATER WELL OWNER: WEY Holding Company					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: WFY Holding Company RR#, Street Address, Box #: P O Box 1506					Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : Gregt Bend, KS 67530				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
					Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 56 ft.								
		DN BOX: Depth(s) Groundwater Encountered (1) 36 ft. (2) ft. (3) ft.						
	N WELL'S STATIC WATER LEVEL30ft. below land surface measured on mo/day/yr. 08/17/12							
	Pump test data: Well water wasft. after hours pumping							
	W NE-NW-NE- EST. YIELD. 50gpm. Well water was ft. after							
W	W E Bore Hole Diameter							
"	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Irrigation								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
water well distincted: [15] Tes [1] No								
5 TYPE OF CASING USED: Steel V PVC Other Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5								
Casing height above land surface. 12. in., Weight 2.8. lbs./ft., Wall thickness or gauge No. Sch. 40.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From .0								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☑ Oil well/gas well								
	,	n well West			from well120		GGDIG D	
FROM	TO	LITHOLOG	ilC LOG	FROM	TO LITHO. LO	OG (cont.) or PLUC	GGING INTERVALS	
14	14 32	top sand sandy clay			WFRYOG	#1-2		
32	50	sand and gravel						
50	56	clay			Sterling Dr	illing Company		
					P O Box 1			
					Pratt. KS 6	67124		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .98/1.7/1.2 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mg/day/year) .08/19/12								
under the business name of Kelly's Water Well Service, Inc. by (signature) Fraction Stone								
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy								

20120582