WATER WEL	L RECORD	Form WWC-5	Division of Water R	Resources App. No		
1 LOCATION	OF WATER WELL:		I	Fownship No.	Range Number	
County: Paw	nee	1/4 NE 1/4 SE 1/4 SW		Γ 22 S	R 16 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction  Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here				Latitude: (in decimal degrees)  Longitude: (in decimal degrees)		
4 3/4 South,1/4 West of Larned			Elevation:	Elevation: (in decimal degrees)		
				Elevation:		
2 WATER WELL OWNER: Kent Frick			Collection Method:	Collection Method:  GPS unit (Make/Model:)		
RR#, Street Address, Box #: 1017 G Road City, State, ZIP Code : Lamed KS 67550			Digital Man/Photo	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
City, State, 21	Larned,	KS 67550	Est. Accuracy: $\square < 3$	m, 3-5 m,	5-15 m, □ >15 m	
3 LOCATE WEI	LL					
WITH AN "X"		COMPLETED WELL 60		Δ (	2) &	
SECTION BOX	X: Depth(s) Groundwater Encountered (1)					
	Pump test data: Well water was					
EST. YIELD. N/Agpm. Well water was						
W						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Stock  Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No						
S If yes, mo/day/yr sample was submitted						
1 mile  Water well disinfected? ✓ Yes ☐ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS:  Glued  Clamped  Welded  Threaded						
Casing diameter .5 in. to .60 ft., Diameter in. to ft., Diameter in. to ft.						
		in., Weight SDR-26	lbs./ft., Wall thickr	ness or gauge No	o	
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
Louvered shutter  Key punched  Wire wrapped  Saw cut  Other (specify)						
SCREEN-PERFORATED INTERVALS:         From						
GRAVEL PACK INTERVALS: From 60 ft. to 20 ft., From ft. to ft.						
From						
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other						
Grout Intervals: From ft. to ft., From 20 ft. to ft., From ft., From ft., From ft.						
What is the nearest source of possible contamination:  ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None						
Direction from well						
FROM TO	LITHOLOG	IC LOG FROM	TO LITHO. LOC	J (cont.) <u>or</u> PLU	GGING INTERVALS	
0 4 28	Sandy top soil Sandy tan clay					
28 60	Sand & gravel- small to	med				
	Carla a graver small to	IIIOU				
					4,000	
	**************************************					
T CONTRACTO	NDIC OD I ANDOUNDE	OCCEDITION TO THE	11.	D		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .11-8-12 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 11-14-12						
under the business name of Rosencrantz-Bemis by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						