רוברות גיע עי	D \$3757	I DECODD	Form WV	VC-5	Division	of Water	· Resources App. N	20141001	
		L RECORD OF WATER WELL:	Fraction Form W V	1 C-3	Section Nu		Township No.	Range Number	
	ty: Paw		1/4 SW 1/4 NW	14 NF 14	7	inioci	T 22 S		
				Global Positioning System (GPS) information:					
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Latitude: (in decimal degrees)			
						Longitude: (in decimal degrees)			
1S of Larned, KS						Elevation:			
and the second s						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Chad Eakin						Collection Method: GPS unit (Make/Model:)			
RR#, Street Address, Box #: 111 Main St. City, State, ZIP Code : Larned KS 67550-3917						init (Mak	e/Model:	o Man D Land Survey	
City	, State, Z	IP Code : Larned,	KS 67550-3917		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 30 ft.									
1	SECTION BOX: Depth(s) Groundwater Encountered (1).14								
	N WELL'S STATIC WATER LEVEL. 14								
l N	x EST. YIELD 40gpm. Well water wasft. after								
w	W Bore Hole Diameterin. toft., andin. toft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
s'	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	Irrigation Industrial Domestic-lawn & garden Monitoring Well								
Was a chemical/bacteriological sample submitted to Department? Yes V No									
S If yes, mo/day/yr sample was submitted									
Water well districted: [2] 165									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: M Glued Clamped Welded Threaded									
Casing diameter .5 in. to .10 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface. 12									
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From10 ft. to30 ft., From ft. to ft.									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
Grout Intervals: From ft. to ft., From ft. to									
	Septic ta			Livestock p	oens 🗆 In	nsecticide	storage	ner (specify below)	
	Sewer li			Fuel storag	e ∏Ał	bandoned	water well		
	Watertig	ht sewer lines	oit Feedyard [] Fertilizer st		il well/ga			
		m well North Northeast							
FROM		LITHOLOG	GIC LOG	FROM	TO LI	THO. LO	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0	2	top soil				111.4	4 7		
2	12	clay			EF	J Unit #	1-7		
12	22	sand and gravel					··· 0		
22	30	shale					illing Company		
	-					D Box 10			
		Grout variance recevied from			Pratt. KS 67124				
	-	Richard Harper KDHE	(a), /:45a.m.						
	-								
	 -					***************************************		444	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .1.1/26/14 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 186. This Water Well Record was completed on (mo/day/year) 12/02/14									
under t	he husine	es name of Kelly's Wate	er Well Service, Inc.		by (signat	ture)	Ka Sheron.	J. Wald.	
under the business name of Kelly's Water Well Service. Inc. by (signature) Later Lat									
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524, Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									

http://www.kdheks.gov/waterwell/index.html