	WA	TER WELL REC	ORD Form W		82a-1212 ID				
1 LOCATION OF WATER	WELL:	Fraction		207.7	Section Number	Township N	umber	Range Number	
County: Pawnee		NW 1/4	NW 1/4	NW 1/4	4	т 22	S	R 17 XE/W	
Distance and direction fron	n nearest to	own or city street	address of well i	f located within	city?				
$\frac{1}{2}$ north, $1/8$	east of	Frizel, Ks	•						
2 WATER WELL OWNER	: K	east Brothe	ers						
RR#, St. Address, Box #	: R	t. 3-Box 11	19			Board of Ag	riculture, [Division of Water Resources	
City, State, ZIP Code	: T	arned, Ks.	67550			Application	Number:		
3 LOCATE WELL'S LOCAT	ION WITH	4 DEPTH OF C	OMPLETED WE	LL <u>1</u> 40	ft. ELEV	ATION:			
AN "X" IN SECTION BO	X:							ft.	
- N		WELL'S STATIC	WATER LEVEL.	28ft.b	elow land surfac	e measured on mo	/day/yr	7-25-01	
1 ~								oumping gpm	
NWN	E	Est. Yield]	nagpm: Well	water was	ft. a	after	hours p	oumping gpm	
		Bore Hole Diame	eter	in. to		and		in. to ft.	
w W	<u>'</u>	WELL WATER 1	TO BE USED AS:	5 Public wat		8 Air conditioning		njection well	
		1 Domestic	3 Feedlot			-		Other (Specify below)	
sw s	E	2 Irrigation	4 Industrial	7 Domestic (lawn & garden) 1	0 Monitoring well .	$\cdots 1$ iv	e stock	
	!	Was a chemical/t	actoriological sami	nla submittad to	Denartment? Ves	. No x	· If voe n	no/day/yrs sample was sub	
<u> </u>		mitted	acteriological samp	pie submitted to	-	r Well Disinfected?		No v	
5 TYPE OF BLANK CASI	NG USED:		5 Wrought iron	8 Cor	ncrete tile			ed x Clamped	
			6 Asbestos-Cem		er (specify belo			ded	
	4 ABS		7 Fiberglass				Thre	aded	
			•					in. to	
Cooler height shows land)	10	woight CI		ihe	/ft Wall thickness	or gauge y	lo	
TYPE OF SCREEN OR F			5 Fiberglass		PVC RMP (SR)		estos-cem er (specify)	1ent)	
			6 Concrete tile				e used (or		
SCREEN OR PERFORAT				Gauzed wrapp		8 Saw cut		11 None (open hole)	
1 Continuous slot		ill slot		Wire wrapped		9 Drilled holes		11 None (open note)	
2 Louvered shutter		ey punched		Torch cut			/)		
SCREEN-PERFORATED	INTERVAL	LS: From	. 120 ft.	to 140	ft., Fron	n	ft. t	to	
		From	ft.	to	ft., Fron	n	ft. t	to	
GRAVEL PACK	INTERVAL	_S: From	1 40 ft.	to 30	ft., Fron	n	ft. t	to	
		From	ft.					to	
6 GROUT MATERIAL:	1 Neat c	ement	2 Cement grout	3 Ber	itonite 4	Other ho	le plug	· · · · · · · · · · · · · · · · · · ·	
Grout Intervals: From	30	ft. to3.	ft., From		.ft. to	ft., From		ft. to	
What is the nearest source	e of possib	ole contamination	:		10 Lives	stock pens	14 A	bandoned water well	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertil	12 Fertilizer storage		Other (specify below)	
3 Watertight sewer lines 6 Seepage pit			9 Feedyard			13 Insecticide storage		none	
Direction from well?				•	How ma	nv feet?			
FROM TO		ITHOLOGIC LO)G	FROM			JGGING II	NTERVALS	
4/0									
	Sand	7							
30 3	hole p	prna							
	1.1. *					for atools	11		
	Enis	s was old 1	reigarion .	werr re-ci	DIBLITUCLEO	for stock	WEIT		
			· · · · · · · · · · · · · · · · · · ·						
						.,			
								nder my jurisdiction and was	
								nowledge and belief. Kansas	
Water Well Contractor's Lic				er Well Record					
under the business name o	of Re	osencrantz-	Bemis		by (s	ignature)	edis	Ledow	