

LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Pawnee		Fraction: SE ¼ SE ¼ SE ¼	Section Number: 1	Township Number: T 22 S	Range Number: R 17W E/W
Distance and direction from nearest town or city street address of well if located within city? 1 S., 2 W of Iarned, Kansas					
WATER WELL OWNER: Bill Woods RR#, St. Address, Box # : Route 3 City, State, ZIP Code : Iarned, Kansas 67550 Board of Agriculture, Division of Water Resources Application Number: None					
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		DEPTH OF COMPLETED WELL: 60 ft. ELEVATION: Unknown			
		Depth(s) Groundwater Encountered 1. 20 ft. 2. .ft. 3. .ft.			
		Well's Static Water Level 20 ft. below land surface measured on mo/day/yr 8/31/84			
		Pump test data: Well water was .ft. after hours pumping gpm			
		Est. Yield 60 gpm; Well water was .ft. after hours pumping gpm			
		Bore Hole Diameter .8 in. to 60 ft. and .in. to .ft.			
		WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes.....No..... If yes, mo/day/yr sample was submitted, Water Well Disinfected? Yes No			
TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued Clamped	
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Welded Threaded	
Blank casing diameter 5 in. to 40 ft. Dia.		7 Fiberglass			
Casing height above land surface 12 in., weight 2.8 lbs./ft.		Wall thickness or gauge No. Sch. 40			
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)					
		9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
		7 Torch cut		10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 40 ft. to 60 ft., From .ft. to .ft.					
GRAVEL PACK INTERVALS: From 10 ft. to 60 ft., From .ft. to .ft.					
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 10 ft., From .ft. to .ft., From .ft. to .ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
Direction from well? South		How many feet? 75			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	10	Clay			
10	28	Sand			
28	40	Clay			
40	60	Sand and Gravel			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/31/84 and this record is true to the best of my knowledge and belief, Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/yr) 9/15/84 under the business name of Kellys Water Well Service by (signature) [Signature]					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					