

1 LOCATION OF WATER WELL		Fraction NW 1/4 NW 1/4 NW 1/4	Section Number 3	Township Number T 22 S	Range Number R 17W E/W		
County: Pawnee							
Distance and direction from nearest town or city? 13W, 1 S of Larned, Kansas			Street address of well if located within city?				
2 WATER WELL OWNER: Roco Drilling Company							
RR#, St. Address, Box # : 1819 11th Street			Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Great Bend, Kansas 67530			Application Number: Unknown				
3 DEPTH OF COMPLETED WELL: 108 ft. Bore Hole Diameter: 8 in. to 108 ft., and in. to ft.							
Well Water to be used as:							
5 Public water supply		8 Air conditioning		11 Injection well			
1 Domestic 3 Feedlot		6 <u>Oil field water supply</u>		9 Dewatering			
2 Irrigation 4 Industrial		7 Lawn and garden only		12 Other (Specify below)			
Well's static water level 24 ft. below land surface measured on 1 month 21 day 1981 year							
Pump Test Data : Well water was ft. after hours pumping. gpm							
Est. Yield 60 gpm: Well water was ft. after hours pumping. gpm							
4 TYPE OF BLANK CASING USED:							
1 Steel		3 RMP (SR)		5 Wrought iron			
2 <u>PVC</u>		4 ABS		6 Asbestos-Cement			
				7 Fiberglass			
Blank casing dia 5 in. to 98 ft., Dia in. to ft., Dia in. to ft.		Casing Joints: <u>Glued</u> Clamped					
Casing height above land surface 12 in., weight 2.8 lbs./ft. Wall thickness or gauge No Sch. 40		8 Concrete tile					
TYPE OF SCREEN OR PERFORATION MATERIAL:		9 Other (specify below)					
1 Steel		3 Stainless steel		5 Fiberglass			
2 Brass		4 Galvanized steel		6 Concrete tile			
Screen or Perforation Openings Are:		5 Gauzed wrapped		8 <u>Saw cut</u>			
1 Continuous slot		3 Mill slot		6 Wire wrapped			
2 Louvered shutter		4 Key punched		7 Torch cut			
Screen-Perforation Dia 5 in. to ft., Dia in. to ft., Dia in. to ft.		10 Asbestos-cement					
Screen-Perforated Intervals: From 88 ft. to 108 ft., From ft. to ft., From ft. to ft.		11 Other (specify)					
Gravel Pack Intervals: From 10 ft. to 108 ft., From ft. to ft., From ft. to ft.		12 None used (open hole)					
5 GROUT MATERIAL:							
1 Neat cement		2 Cement grout		3 <u>Bentonite</u>			
4 Other							
Grouted Intervals: From 0 ft. to 19 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank		4 Cess pool		7 Sewage lagoon			
2 Sewer lines		5 Seepage pit		8 Feed yard			
3 Lateral lines		6 Pit privy		9 Livestock pens			
Direction from well East		How many feet 60		Water Well Disinfected? Yes No			
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted month day year							
If Yes: Pump Manufacturer's name Model No. HP Volts							
Depth of Pump Intake ft. Pumps Capacity rated at gal./min.							
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other							
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 1 month 21 day 1981 year							
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 186							
This Water Well Record was completed on 2 month 9 day 1981 year under the business name of Kellys Water Well Service by (signature) <i>Kelly Price</i>							
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	60	Clay			
		60	108	Sand rock			
ELEVATION: Unknown							
Depth(s) Groundwater Encountered 1. 24 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)							
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.							