		WATER	R WELL RECORD	Form WWC-		-1212		
LOCATION OF WA		Fraction			ction Number	Township N		Range Number
oounty.	vnee	SE 1/4	SW 1/4 SW		20	T 22	S	R 17 KW/
		-	Idress of well if located	•				
		d 4 south	of Larned, KS				·	
WATER WELL OV			Bill Barger					
RR#, St. Address, Bo)x # :		Route 1				•	Division of Water Resource
City, State, ZIP Code	 		Garfield, KS					not required
AN "X" IN SECTIO	N BOX: De	pth(s) Groundv	vater Encountered 1.	15	ft. :	2	ft. 3	
1	l vi	ELL'S STATIC	WATER LEVEL	1.5 . ft. i	below land su	face measured on	mo/day/yr	7/13/87
1		Pump	test data: Well water	was not	.ck.'d ft. a	fter	hours pu	mping gpm
NW	\\							mping gpm
<u></u> i	Bo	re Hole Diame	ter ⁹ in. to .	73		and	in.	. to
¥ V	i w	ELL WATER TO	O BE USED AS:	5 Public wat	er supply	8 Air conditioning	11	Injection well
-		1 Domestic	_ 3 Feedlot (6 Oil field wa	ater supply	9 Dewatering	12	Other (Specify below)
3 W	*	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Observation we	əli	
х	Wa	as a chemical/b	acteriological sample s	ubmitted to D	epartment? Y	esNo.X	; If yes,	mo/day/yr sample was sub
,	s mi	tted			Wa	ter Well Disinfecte	d? Yes X	No
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Conc	ete tile	CASING JO	INTS: Glued	<u>d . X</u> Clamped
1 Steel	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify below	N)	Weld	ed
2 PVC	_4 ABS		7 Fiberglass					aded
								in. to ft.
Casing height above I	and surface 2	4	in., weight 2 , 2.7.	7	lbs.	ft. Wall thickness	or gauge N	o
TYPE OF SCREEN O	R PERFORATION M	MATERIAL:		7 P\	<u>/C</u>	10 Asb	estos-ceme	ont
1 Steel	3 Stainless st	eel	5 Fiberglass	8 RI	MP (SR)	11 Oth	er (specify)	
2 Brass	4 Galvanized	steel	6 Concrete tile	9 AE	3S	12 Nor	ne used (op	en hole)
CREEN OR PERFO	RATION OPENINGS	_, .	5 Gauze	d wrapped		8 Saw cut		11 None (open hole)
1 Continuous sid	ot <u>3 Mill s</u>	ilot (a)	6 Wire v	vrapped		9 Drilled holes		
2 Louvered shut	ter 4 Key p	ounched	7 Torch					
SCREEN-PERFORAT	ED INTERVALS:							o
		From. (b)	6.2 ft. to	7.3	ft., Fro	m	ft. to	o
	CK INTERVALS:	From	.25 ft. to	7.3	ft., Fro	m	ft. t	o
Annular F	111	From	20 ft. to	25	ft., Fro			o ft.
GROUT MATERIAI			2 Cement grout	3 Bent				
arout Intervals: Fro	m ² ft.	to	.40 ft., From	ft.	to	ft., From		ft. to
What is the nearest so	ource of possible cor	ntamination:			10 Lives	tock pens		bandoned water well
1 Septic tank	4 Lateral li		7 Pit privy		11 Fuel	storage	15 O	il well/Gas well
2 Sewer lines	5 Cess po		8 Sewage lago	on	12 Fertil	izer storage	16 O	ther (specify below)
_	ver lines 6 Seepage	pit	9 Feedyard		13 Insec	ticide storage		
Direction from well?	south				How ma	ny feet?	150	
FROM TO		LITHOLOGIC L	·	FROM	то		LITHOLOG	IC LOG
0 49	Topsoil & so	oft brown	sandy water		<u> </u>			
/0 50	clay			-	 			
49 50	Sand & grave		n sandstone	-	<u> </u>		·	
<u> </u>	& limestone				 			
50 65	Dakota clay,			. 				
65 71			streaks - ye	Low san	4 stone			
71 73	Dakota clay,				1			
73 120	Dakota clay,	gray & r	:ed	1				
				1	1			
				1	 			
	 			+	 			
				+	+ +			
					_			
	<u> </u>							
CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATIO	DN: This water well wa	us (1) constru	ucted, (2) reco	onstructed, or (3) p	olugged und	der my jurisdiction and was
completed on (mo/day	//year)	<u>/</u> /13/.87			and this reco	ord is true to the be	st of my kn	owledge and belief. Kansas
			This Water We					84.4/87
inder the business na	ame of Clark	e WE11 &	EQuipment, Inc	· ·	by (signa	ture)	W/L	4
INSTRUCTIONS: Use 1	typewriter or ball point pe	n. <i>PLEASE PRES</i>	S FIRMLY and PRINT clea	rly. Please fill ir	n blanks, underlir	e or circle the correct	answers. Ser	nd top three copies to Kansas
	nd Environment, Office or NER and retain one for y		ironmental Geology, Regul	ation and Perm	itting Section, To	peka, Kansas 66620-7	7500, Telepho	one: 913-862-9360. Send one