1 1											
1 LOCATION OF WATER WE	ELL Fract	tion 5E	_ NU	U N	w	Section Numb	per	Township	Number	Range N	umber
County: Pawnee	50 N	W 1/4	C NW	1/4	1/4	5		т 2	2 s	R 18	N E/W
Distance and direction from no $\frac{1}{2}$ S, $\frac{1}{2}$ W of San				·	Street	address of we	ll if loca	ated within c	ity?	1	
		ry Pani	าวัทธ								
RR#, St. Address, Box #		te 1						Board of	Agriculture (Division of Wate	er Resources
City, State, ZIP Code		-	Kansa	s 67526	5					Unkr	
3 DEPTH OF COMPLETED											
Well Water to be used as:				.a					Injection well	13	
1 Domestic 3 Feedlot		field water				-			Other (Specif	v helow)	
2 Irrigation 4 Industrial						ervation well					
Well's static water level 44 Pump Test Data	.O ft.	below land	surface m	easured on .	4	k	.month	ı 28	d	ay 1981	Lyear
Est. Yield 1500	gpm: Well wa	ter was		ft. after			ho	urs pumping	.		gpm
4 TYPE OF BLANK CASING								-		I Clampe	
1 <u>Steel</u> . 3						ther (specify b				<u>əd</u>	
	ABS		7 Fibergl						Threa	ded	
Blank casing dia 16	in. to		ft., E)ia		in. to		tt., Dia		. in. to	ft.
Casing height above land sur			in., v	/eight •. ₽			lbs./ft.				
TYPE OF SCREEN OR PERI					-	PVC			sbestos-ceme		
	Stainless steel		•	ass		RMP (SR)					
	Galvanized stee	el	6 Concre						one used (op	•	
Screen or Perforation Opening	gs Are:			5 Gauze	d wrapp	∍d	8	Saw cut		11 None (ope	n hole)
1 Continuous slot				6 Wire w				Drilled holes			
2 Louvered shutter				7 Torch							
Screen-Perforation Dia16.	in. to		ft.,	Dia		. in. to		· · · ft., Dia .		\ldots in to \ldots .	
Screen-Perforated Intervals:	From 100)	ft. to	14	ŧΩ	ft., From			ft. to		ft.
Gravel Pack Intervals:	From 10)	ft. to	14	ֈ Ω	ft., From			ft. to		
	From		ft. to			4 F			ft to		ft.
						ii., From			11. 10		
5 GROUT MATERIAL:	1 Neat cement	_	2 Cement	grout		Bentonite					
					3 E	Bentonite	4 Oth	er			
5 GROUT MATERIAL: Grouted Intervals: From What is the nearest source of	0 ft. to	.10 .			3 E	Bentonite	4 Oth	ertt., Fron			
Grouted Intervals: From	0 ft. to		ft.,		3 E	Sentoniteft. to 10 Fu	4 Oth	er ft., Fron age	1	ft. to	ft. r well
Grouted Intervals: From What is the nearest source of	possible contain	10. nination:	ft.,	From	3 E	Bentonite ft. to 10 Ft 11 Fe	4 Oth uel stor ertilizer	erft., Fron age storage	1	ondoned water	ft. r well
Grouted Intervals: From What is the nearest source of 1 Septic tank	D ft. to possible contain 4 Cess pool	10. nination:	ft., 7 : 8 !	From	3 E	Sentonite ft. to 10 Ft 11 Fe 12 In	4 Oth uel stor ertilizer secticid	er ft., Fron age	14 Al 15 Oi 16 Oi	ft. to	ft. r well l ow)
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines	D ft. to possible contart Cess pool Seepage pit Pit privy	10. nination:	ft., 7 : 8 ! 9 !	From Sewage lagor Feed yard Livestock per	3 E on	Sentonite ft. to 10 Fu 11 Fe 12 In 13 W	4 Oth uel stor ertilizer secticid atertigh	er	14 Al 15 O 16 O	tt. to	ft. r well slow)
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft. to possible contart 4 Cess pool 5 Seepage pit 6 Pit privy	1010	ft., 7 5 8 1 9 1 many feet	From Sewage lagor Feed yard Livestock per 50	3 E	Pentonite . ft. to 10 Ft 11 Fe 12 In 13 W	4 Oth uel storentilizer secticidatertigh	er	14 Al 15 O 16 O	ft. to	ft. r well llow)
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O. ft. to possible contar Cess pool Seepage pit Pit privy Th	nination: How ted to Depart	7 : 8 9 many feet artment? Y	From Sewage lagor Feed yard Livestock per50	3 E	Pentonite . ft. to 10 Ft. 11 Fe. 12 In 13 W	4 Oth uel storertilizer secticidatertighter We	er	14 Al 15 O 16 O 3	ft. to	r well low)
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from wellSQU Was a chemical/bacteriologica was submitted	O ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitt	nination: How ted to Depart	7 : 8 9 many feet artment? Y	From Sewage lagor Feed yard Livestock per	3 E	lentonite ft. to 10 Fu 11 Fe 12 In 13 W ? Wa ar: Pump Inst	4 Oth uel stor ertilizer secticid atertigh ter We No alled?	er	14 Al 15 O 16 O	ther (specify be	r well llow)
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th	nination: How ted to Depa	ft., 7 : 8 ! 9 ! many feet artment? Y	From Sewage lagor Feed yard Livestock per	on on us on	Pentonite ft. to 10 Fu 11 Fe 12 In 13 W ? Wa ar: Pump Inst.	4 Oth uel store ertilizer secticid atertigh ter We No alled?	ter	14 Al 15 Oi 16 Oi 3	ther (specify be	r well
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submittmonth	10. 10. inination:	7 : 8 9 many feet artment? Y	From Sewage lagor Feed yard Livestock per	on ns ye Model I Pumps	entonite ft. to 10 Fu 11 Fe 12 In 13 W ? Wa ar: Pump Inst. No	4 Oth uel store ertilizer secticid atertigh ter We No alled?	er	14 Al 15 O 16 O 3	tt. to	r well slow) late sample gal./min.
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitt	10. nination: How ted to Depa	7 : 8 9 many feet artment? Y da	From Sewage lagor Feed yard Livestock per	on ns ye Model I Pumps 3 Jet	entonite ft. to 10 Fu 11 Fe 12 In 13 W ? Wa ar: Pump Inst No	4 Oth retilizer secticid atertighter We No alled?	er	14 Al 15 O 16 O 3 ? Yes	tt. to	r well slow) late sample gal./min.
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from wellSQU Was a chemical/bacteriologica was submitted	O ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submittmonth name	10. 10	7 : 8 9 many feet artment? Yda	From Sewage lagor Feed yard Livestock per 50 Les	on s ye Model I Pumps Jet as (1) co	entonite . ft. to	4 Oth uel store ertilizer secticid atertighter We No alled? at entrifuger	ter	14 Al 15 Oi 16 Oi 3 Yes	tt. to	r well slow) late sample gal./min. Other
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submittmonth name	10. Inination: How ted to Department	7 : 8 9 many feet artment? Yday Turbine DN: This v	From Sewage lagor Feed yard Livestock per 50 Fes ft. water well wa	on s Model I Pumps Jet as (1) cc	dentonite ft. to 10 Fu 11 Fe 12 In 13 W ? Wa ar: Pump Inst. Capacity rated 4 C onstructed, (2) day	4 Oth uel storertilizer secticidatertigh ter We No alled? at	ter	14 Al 15 Oi 16 Oi 3 Yes	tt. to	r well slow) late sample gal./min.
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from wellSQU Was a chemical/bacteriologica was submitted	O ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th all sample submitt month mame 1 Submersible IDOWNER'S CE	How ted to Department 2 RTIFICATIO	7 : 8 9 many feet artment? Yda	From Sewage lagor Feed yard Livestock per 50 Ses ft. water well was 28 sas Water W	on ye Model I Pumps 3 Jet as (1) ccc 3	dentonite ft. to 10 Fu 11 Fe 12 In 13 W ? Wa ar: Pump Inst. Capacity rated 4 C onstructed, (2) day	4 Other left store of the secticidate of the sectic of attention of the sectic of the sectic of the sectic of the sectic of the section of th	ter ft., From age storage le stor	14 Al 15 O 16 O ? Yes Reciprocating) plugged und	tt. to	r well slow) late sample gal./min. Other ion and was
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Sou Was a chemical/bacteriological was submitted	O ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th all sample submitt mane 1 Submersible DOWNER'S CE 4 best of my know completed on	How ted to Department 2 RTIFICATIO	7 : 8 9 many feet artment? Y	From Sewage lagor Feed yard Livestock per 50 fes ft. water well wa 28 sas Water W May m	on ye Model I Pumps 3 Jet as (1) cc fell Contronth.	dentonite ft. to 10 Fu 11 Fe 12 In 13 W	4 Oth uel store retilizer secticid atertigh ter We No alled? at entrifug reconst	ter ft., From age storage le storage le storage li Disinfected Yes	14 Al 15 O 16 O ? Yes Reciprocating) plugged und	tt. to	r well slow) late sample gal./min. Other ion and was
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitt month name 1 Submersible IDOWNER'S CE 4 best of my know completed on Water Wel	10. nination: How ted to Department 2 RTIFICATION ledge and to the service of	7 : 8 9 many feet artment? Y	From Sewage lagor Feed yard Livestock per 50 fes ft. water well wa 28 sas Water W May m	on ye Model I Pumps 3 Jet as (1) cc dell Contronth. by (signa	dentonite ft. to 10 Fu 11 Fe 12 In 13 W 2 Wa 2 Wa 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 Instructed (2) 5 Instructed (2) 6 Instructed (2) 6 Instructed (3)	4 Other left secticidatertighter We alled? at	ter ft., From age storage le storage it sewer lines if Disinfected Yes HP agl 5 ructed, or (3 1981	14 Al 15 O 16 O ? Yes Reciprocating	ft. to	date sample gal./min. Other ion and was year,
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Sou Was a chemical/bacteriological was submitted	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitt	10. nination: How ted to Department 2 RTIFICATION ledge and to the second s	many feet artment? Yday	From Sewage lagor Feed yard Livestock per 50 fes ft. water well wa 28 sas Water W May m	on ye Model I Pumps 3 Jet as (1) cc dell Contronth. by (signa	dentonite ft. to 10 Fu 11 Fe 12 In 13 W 2 Wa 2 Wa 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 Instructed (2) 5 Instructed (2) 6 Instructed (2) 6 Instructed (3)	4 Oth uel store retilizer secticid atertigh ter We No alled? at entrifug reconst	ter ft., From age storage le storage le storage li Disinfected Yes	14 Al 15 O 16 O ? Yes Reciprocating	tt. to	date sample gal./min. Other ion and was year,
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitti month name. 1 Submersible IDOWNER'S CE 4 best of my know completed on Water Well ON FROM IN O	10. Inination: How ted to Department of the degree and the term of the term	many feet artment? Yday	From Sewage lagor Feed yard Livestock per 50 fes ft. water well wa 28 sas Water W May m	on ye Model I Pumps 3 Jet as (1) cc /ell Contronth by (signa	dentonite ft. to 10 Fu 11 Fe 12 In 13 W 2 Wa 2 Wa 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 Instructed (2) 5 Instructed (2) 6 Instructed (2) 6 Instructed (3)	4 Other left secticidatertighter We alled? at	ter ft., From age storage le storage it sewer lines if Disinfected Yes HP agl 5 ructed, or (3 1981	14 Al 15 O 16 O ? Yes Reciprocating	ft. to	date sample gal./min. Other ion and was year,
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Sou Was a chemical/bacteriological was submitted. If Yes: Pump Manufacturer's r Depth of Pump Intake. Type of pump: 6 CONTRACTOR'S OR LAN completed on and this record is true to the little was a completed on This Water Well Record was companied of Kellys 7 LOCATE WELL'S LOCATI WITH AN "X" IN SECTIO	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitt month name. 1 Submersible IDOWNER'S CE 4 best of my know completed on Water Wellon ON FROM ON 45	10How ted to Department of the Department of the ted to Department of the ted to Department o	many feet artment? Y day	From Sewage lagor Feed yard Livestock per 50 fes ft. water well wa 28 sas Water W May m	on ye Model I Pumps 3 Jet as (1) cc /ell Contronth by (signa	dentonite ft. to 10 Fu 11 Fe 12 In 13 W 2 Wa 2 Wa 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 Instructed (2) 5 Instructed (2) 6 Instructed (2) 6 Instructed (3)	4 Other left secticidatertighter We alled? at	ter ft., From age storage le storage it sewer lines if Disinfected Yes HP agl 5 ructed, or (3 1981	14 Al 15 O 16 O ? Yes Reciprocating	ft. to	date sample gal./min. Other ion and was year,
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitt	10How ted to Department of the Department of the ted to Department of the ted to Department o	many feet artment? Y	From Sewage lagor Feed yard Livestock per	on ye Model I Pumps 3 Jet as (1) cc lell Contronth by (signalic LOG	dentonite ft. to 10 Fu 11 Fe 12 In 13 W 2 Wa 2 Wa 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 Instructed (2) 5 Instructed (2) 6 Instructed (2) 6 Instructed (3)	4 Other left secticidatertighter We alled? at	ter ft., From age storage le storage it sewer lines if Disinfected Yes HP agl 5 ructed, or (3 1981	14 Al 15 O 16 O ? Yes Reciprocating	ft. to	date sample gal./min. Other ion and was year,
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitt month name. 1 Submersible IDOWNER'S CE 4 best of my know completed on Water Wellon ON FROM ON 45	10How ted to Department of the Department of the ted to Department of the ted to Department o	many feet artment? Y	From Sewage lagor Feed yard Livestock per 50 fes ft. water well wa 28 sas Water W May m	on ye Model I Pumps 3 Jet as (1) cc lell Contronth by (signalic LOG	dentonite ft. to 10 Fu 11 Fe 12 In 13 W 2 Wa 2 Wa 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 Instructed (2) 5 Instructed (2) 6 Instructed (2) 6 Instructed (3)	4 Other left secticidatertighter We alled? at	ter ft., From age storage le storage it sewer lines if Disinfected Yes HP agl 5 ructed, or (3 1981	14 Al 15 O 16 O ? Yes Reciprocating	ft. to	date sample gal./min. Other ion and was year,
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Sou Was a chemical/bacteriological was submitted	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitti month name. 1 Submersible IDOWNER'S CE 4 best of my know completed on Water Wellon FROM NN O 45 80 100	10How ted to Department of the Department of the ted to Department of the ted to Department o	many feet artment? Y	From Sewage lagor Feed yard Livestock per	on ye Model I Pumps 3 Jet as (1) cc lell Contronth by (signalic LOG	dentonite ft. to 10 Fu 11 Fe 12 In 13 W 2 Wa 2 Wa 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 Instructed (2) 5 Instructed (2) 6 Instructed (2) 6 Instructed (3)	4 Other left secticidatertighter We alled? at	ter ft., From age storage le storage it sewer lines if Disinfected Yes HP agl 5 ructed, or (3 1981	14 Al 15 O 16 O ? Yes Reciprocating	ft. to	date sample gal./min. Other ion and was year,
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitti month name. 1 Submersible IDOWNER'S CE 4 best of my know completed on Water Wellon FROM NN O 45 80 100	10How ted to Department of the Department of the ted to Department of the ted to Department o	many feet artment? Y	From Sewage lagor Feed yard Livestock per	on ye Model I Pumps 3 Jet as (1) cc lell Contronth by (signalic LOG	dentonite ft. to 10 Fu 11 Fe 12 In 13 W 2 Wa 2 Wa 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 Instructed (2) 5 Instructed (2) 6 Instructed (2) 6 Instructed (3)	4 Other left secticidatertighter We alled? at	ter ft., From age storage le storage it sewer lines if Disinfected Yes HP agl 5 ructed, or (3 1981	14 Al 15 O 16 O ? Yes Reciprocating	ft. to	date sample gal./min. Other ion and was year,
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Sou Was a chemical/bacteriological was submitted	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitti month name. 1 Submersible IDOWNER'S CE 4 best of my know completed on Water Wellon FROM NN O 45 80 100	10How ted to Department of the Department of the ted to Department of the ted to Department o	many feet artment? Y	From Sewage lagor Feed yard Livestock per	on ye Model I Pumps 3 Jet as (1) cc lell Contronth by (signalic LOG	dentonite ft. to 10 Fu 11 Fe 12 In 13 W 2 Wa 2 Wa 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 Instructed (2) 5 Instructed (2) 6 Instructed (2) 6 Instructed (3)	4 Other left secticidatertighter We alled? at	ter ft., From age storage le storage it sewer lines if Disinfected Yes HP agl 5 ructed, or (3 1981	14 Al 15 O 16 O ? Yes Reciprocating	ft. to	date sample gal./min. Other ion and was year,
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitti month name. 1 Submersible IDOWNER'S CE 4 best of my know completed on Water Wellon FROM NN O 45 80 100	10How ted to Department of the Department of the ted to Department of the ted to Department o	many feet artment? Y	From Sewage lagor Feed yard Livestock per	on ye Model I Pumps 3 Jet as (1) cc lell Contronth by (signalic LOG	dentonite ft. to 10 Fu 11 Fe 12 In 13 W 2 Wa 2 Wa 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 Instructed (2) 5 Instructed (2) 6 Instructed (2) 6 Instructed (3)	4 Other left secticidatertighter We alled? at	ter ft., From age storage le storage it sewer lines if Disinfected Yes HP agl 5 ructed, or (3 1981	14 Al 15 O 16 O ? Yes Reciprocating	ft. to	date sample gal./min. Other ion and was year,
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitti month name. 1 Submersible IDOWNER'S CE 4 best of my know completed on Water Wellon FROM NN O 45 80 100	10How ted to Department of the Department of the ted to Department of the ted to Department o	many feet artment? Y	From Sewage lagor Feed yard Livestock per	on ye Model I Pumps 3 Jet as (1) cc lell Contronth by (signalic LOG	dentonite ft. to 10 Fu 11 Fe 12 In 13 W 2 Wa 2 Wa 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 Instructed (2) 5 Instructed (2) 6 Instructed (2) 6 Instructed (3)	4 Other left secticidatertighter We alled? at	ter ft., From age storage le storage it sewer lines if Disinfected Yes HP agl 5 ructed, or (3 1981	14 Al 15 O 16 O ? Yes Reciprocating	ft. to	date sample gal./min. Other ion and was year
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitti month name. 1 Submersible IDOWNER'S CE 4 best of my know completed on Water Wellon FROM NN O 45 80 100	10How ted to Department of the Department of the ted to Department of the ted to Department o	many feet artment? Y	From Sewage lagor Feed yard Livestock per	on ye Model I Pumps 3 Jet as (1) cc lell Contronth by (signalic LOG	dentonite ft. to 10 Fu 11 Fe 12 In 13 W 2 Wa 2 Wa 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 C 2 Instructed (2) 4 Instructed (2) 5 Instructed (2) 6 Instructed (2) 6 Instructed (3)	4 Other left secticidatertighter We alled? at	ter ft., From age storage le storage it sewer lines if Disinfected Yes HP agl 5 ructed, or (3 1981	14 Al 15 O 16 O ? Yes Reciprocating	ft. to	date sample gal./min. Other ion and was year
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th al sample submitt	10. 10. How ted to Department of the ted to De	many feet artment? Y day	From Sewage lagor Feed yard Livestock per	on ns ye Model I Pumps 3 Jet as (1) cc dell Contronth by (signalic LOG rel	Pentonite ft. to 10 Fu 11 Fe 12 In 13 W ? Wa	4 Other left store retrilizer secticidatertighter We alled? at	ter ft., From age storage le storage it sewer lines if Disinfected Yes HP agl 5 ructed, or (3 1981	14 Al 15 O 16 O ? Yes Reciprocating	ft. to	date sample gal./min. Other ion and was year
Grouted Intervals: From. What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	O ft to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy th all sample submitted month mame. 1 Submersible IDOWNER'S CE 4 best of my know completed on Water Wellon 5 80 100 100	How ted to Department of the Department of the ted to Department of the	many feet artment? Y Turbine DN: This month belief. Kan Ce Clay Sand Clay Sand	From Sewage lagor Feed yard Livestock per 50 fes ft. water well wa 28 sas Water W May LITHOLOGI and Grav and Grav	on on ye Model I Pumps 3 Jet as (1) cc dell Contr onth by (signa IC LOG rel rel ft.	dentonite ft. to 10 Fu 11 Fe 12 In 13 W	4 Other let store retilizer secticidatertighter We	ter ft., From age storage le stor	14 Al 15 O 16 O	tt. to	the business