

OFFICE USE ONLY

T

2

EW

SEC.

5

11

N/A

10

1

 $\frac{1}{4}$

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Pawnee		1/4 SW 1/4 NE 1/4	6	T 22 S	R 18 E/W
Distance and direction from nearest town or city street address of well if located within city? 1 1/4 west -3/4 south of Sanford, Ks.					
2 WATER WELL OWNER:		Marvin Finger			
RR#, St. Address, Box # :		Rt. 1			
City, State, ZIP Code :		Rozel, Ks. 67574			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		Board of Agriculture, Division of Water Resources Application Number: PN 060-D2			
		4 DEPTH OF COMPLETED WELL: 143 ft. ELEVATION: 143 ft.			
		Depth(s) Groundwater Encountered 1. 35 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 40 ft. below land surface measured on mo/day/yr 7-27-84			
		Pump test data: Well water was 45 ft. after 1 hours pumping 500 gpm			
		Est. Yield 1200 gpm: Well water was 55 ft. after 2 hours pumping 1000 gpm			
		Bore Hole Diameter 29 in. to 143 ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes hth No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR)		Welded X			
2 PVC 4 ABS		Threaded			
Blank casing diameter 16 in. to 91 ft., Dia		in. to ft., Dia			
Casing height above land surface 24 in., weight		lbs./ft. Wall thickness or gauge No. 7 ga.			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		10 Other (specify)			
2 Louvered shutter 4 Key punched 7 Torch cut					
SCREEN-PERFORATED INTERVALS: From 91 ft. to 143 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 10 ft. to 143 ft., From ft. to ft.					
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other			
Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		12 Fertilizer storage 16 Other (specify below)			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 13 Insecticide storage none					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard					
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	5	Dark top soil			
5	35	tan clay			
35	42	Sand and gravel			
42	56	Tan and gray clay			
56	67	Fine sand			
67	69	Light gray clay			
69	107	Medium sand and gravel			
107	122	Tan and gray clay			
122	129	Sand and gravel			
129	130	Sand			
130	143	Red bed			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-15-84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 12-26-84 under the business name of Rosencrantz-Bemis by (signature) Lora Dodson					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					