## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County	$\rho' = 130$		Section num		Township number	Range number		
0.01	Pawnee	1/4 1/4	1/4	<u> </u>	1 / 1 7 +	T 22 S	R 15	E/W	
R.R. or					Owner of well: Art Wagner . or street:				
Street address of well location if in city: San FoR d City, state, zip					code: Gá	ode: Garfield, Ks.			
4. Locate with "X" in section below:  N Sketch map:					6. Bore hole dia. 29 in. Completion date Well depth 98 ft. 12-10-76			,	
						7Cable toolXRotaryDriven Dug			
						Hollow rod Jetted Bored Reverse rotary			
						8. Use: Domestic Public supply Industry Stock			
-						Lawn Oil field water Other			
						9. Casing: Material Steel Height: Above or below.  Threaded Welded Surface 18 in.			
S						RMP PVC Weight Ibs./ft. Dia. 16 in. to 98 ft. depth Wall Thickness: inches or			
5. Type and color of material					То	Dia in. to ft. depth wall Thickness: Inches or Dia in. to ft. depth gage No 7			
Top Soil					3	10. Screen: Manufacturer's name			
Brown Clay				3	23	Type steel Dia. 16			
Gray Clay				23	34	Slot/g <del>azze= 3/16                                   </del>			
Fine Sand and Gravel Gray Clay Mixed				34	364\$	ft. andft.			
Fine Sand and Gravel Gray				36	42	11. Static water level: mo./day/yr.			
Frey Clay, Gray				42	43				
				<u> </u>	59	12. Pumping level below land surfaces:  2 ft. after 2 hrs. pumping 800 g.p.m.			
Greenish Blue Clay				43	29	ft.afterhrs.pumpingg.p.m.  Estimated maximum yieldg.p.m.			
Fine Sand				59.	62	13. Water somple submitted: mo./day/yr.			
Gray Clay some Fine Sand				62	64	X Yes No Date 8—1 2L—76			
Lt. Brown Clay 64				.,,	67	Pitless adapter Inches above grade			
Gray and Lt. Brown Clay				67	69	15. Well grouted? Bentonite Sentonite			
Giay and not brown oray				- 07	0)	Depth: From ft. to ft.			
Lt. Brown Clay				69	78	16. Nearest source of possible contemination: ft. Aboute Direction Type Dilwell			
Sand and Gravel Clay Mixed				78	82	Well disinfected upon comple		No	
Sand and ################################				82	90	17. Pump: Manufacturer's name West	ern Land Ro	ller "	
Brown Sand Rock				90	91	Model number2BH12	HP <u>60</u> Volts ft. capacity <u>1000</u>	ے ا۔۔۔	
Sand and Gravel				91	94	Type:	ir. capacity	y.p	
Pod Bed				942		Jet	Reciproc	ating	
	(Use a second sl	neet if needed)		742	1 77	Centrifugal	Other	——  <u>*</u>	
18. Elevation:	17. Nemarks:					20. Water well contractor's of This well was drilled under m	•	eport	
Topography:					is true to the best of my knowledge and belief.  Rosencrantz—Bemis 134			1/4	
Hill Slope						Business name License No.			
X Upland						Signed Fredia N	Asem Date C	2/22	
Valley						Authorized rep	resentative	7 2	