USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeko, Kansas 66620

| | | $\omega/2 \omega/2$ | W/2 W/2 NW | | | (Water well Contractors) Topeko, Kansas 66620 | | |
|--|---------------------------------------|----------------------|--------------|----------------|----------|--|---|----------------------|
| 1 () - f !! | County | Fraction | | Section number | | Township number | Range number | |
| 1. Location of well: | Pawner. | C 1/4 W57/4 W | \ | | | 1 22 | s R 18 | E Ø |
| Inis. 2 mile. Emis y sanford, Ks, R. Street address of well location if in city: | | | | | l: An | | | |
| Locate with "X" i | | Sketch map: | | | | 6. Bore hole dia. ———————————————————————————————————— | | 78 |
| K- NW | ! | | | | | 7 Cable tool 🔏 Rotar | | rotary |
| w | E | | | | | | Public supply Indus Air conditioning Stock Oil field water Othe | ٠ |
| SW | SE | | | | | 9. Casing: Material PVC Threaded Welded RMP PVC X | iSurface | 5w in. bs./ft. |
| 1 M | ile | | | 1 | | Dia in. to ft. d | • | es or |
| 5. Type and color of material | | | | From | То | Diain. to ft. de 10. Screen: Manufacturer' | name | |
| Top soil | | | | 0 | 3 | Type PVC. | Dia | |
| Dark brown clay | | | | 3 | 15 | Slot/gauze | Length | ft. |
| Light | brown s | andy clay | | 15 | 36 | | and range of material <u>12</u> 34 | 3 ₂ ft. |
| Fine | sand | | | 36 | 45 | 11. Static water level: | -0-7 | loy/yr. |
| Solt | nou clay | | | 45 | 72 | 12 Pumping level below to | | |
| Sand | : E siaw | el | | 1/2 | 80 | ft. after | hrs. pumpingg | .p.m. |
| Red & | white cla | 44 | | 80 | 85 | Estimated maximum yield | : mo./c | day/yr. |
| • | · · · · · · · · · · · · · · · · · · · | <i>F</i> | | | | Yes No 14. Well head completion: | Date <u>2-27-7</u> | |
| | | | | | | Pitless adapter | Inches above gr | ade |
| | | | | † | ļ | 15. Well grouted? | | |
| | | | | <u> </u> | | With: A Neat cement _ Depth: From ft. t | | ncrete |
| | | | | - | | 16. Negrest source of possi | ble contamination: | tic |
| | | | | | | Well disinfected upon comp | Not installed | No |
| | | | | | | 17. Pump: Manufacturer's name | <u> </u> | |
| | | | | | | Model number Length of drop pipe | — HP — Volts — ft. capacity — g | .p.m. |
| | | | _ | | | Type: Submersible | Turbine | |
| | (Use a sec | ond sheet if needed) | | 1 | | Jet Centrifugal | Reciproco | ating |
| 18. Elevation: | 19. Remarks: | | | _ | <u> </u> | 20. Water well contractor | s certification: | |
| | | | | | | This well was drilled under is true to the best af my kn | | eport |
| Topography: | | | | | | Bosencran | To-Benis! | 34 |
| — Hill | | | | | | Business nam | Send & Licen | se No. |
| X Upland | | | | | | Signed Sandy | Reserve in 3 | 20 |
| Valley | | | | | | Authorizadir | epresentative | |