

1) LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Pawnee		NW ¼ NW ¼ NE ¼		18		T 22 S		R 18W E/W	
Distance and direction from nearest town or city street address of well if located within city?									
2 S, 1½ W of Sanford, Kansas									
2) WATER WELL OWNER: Rein Krohn									
RR#, St. Address, Box # : 214 E Miller					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Iola, Kansas 66740					Application Number:				
3) LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4) DEPTH OF COMPLETED WELL 110 ft. ELEVATION: Unknown							
		Depth(s) Groundwater Encountered 1. 32 ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 32 ft. below land surface measured on mo/day/yr 4/30/91							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield 20 gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 8 in. to ft., and in. to ft.							
WELL WATER TO BE USED AS:									
1 Domestic      3 Feedlot      6 Oil field water supply      9 Dewatering      12 Other (Specify below) 2 Irrigation      4 Industrial      7 Lawn and garden only      10 Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes No									
5) TYPE OF BLANK CASING USED:									
1 Steel      3 RMP (SR)      5 Wrought iron      8 Concrete tile      CASING JOINTS: Glued      Clamped 2 PVC      4 ABS      6 Asbestos-Cement      9 Other (specify below)      Welded 7 Fiberglass      Threaded									
Blank casing diameter 8 in. to 90 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 12 in., weight 2.8 lbs./ft. Wall thickness or gauge No. Sch. 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel      3 Stainless steel      5 Fiberglass      8 RMP (SR)      11 Other (specify) 2 Brass      4 Galvanized steel      6 Concrete tile      9 ABS      12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot      3 Mill slot      5 Gauzed wrapped      8 Saw cut      11 None (open hole) 2 Louvered shutter      4 Key punched      6 Wire wrapped      9 Drilled holes									
SCREEN-PERFORATED INTERVALS: From 90 ft. to 110 ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 20 ft. to 110 ft., From ft. to ft.									
6) GROUT MATERIAL: 1 Neat cement      2 Cement grout      3 Bentonite      4 Other									
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank      4 Lateral lines      7 Pit privy      10 Livestock pens      14 Abandoned water well 2 Sewer lines      5 Cess pool      8 Sewage lagoon      11 Fuel storage      15 Oil well/Gas well 3 Watertight sewer lines      6 Seepage pit      9 Feedyard      12 Fertilizer storage      16 Other (specify below) In pasture									
Direction from well? How many feet?									
FROM TO		LITHOLOGIC LOG		FROM TO		PLUGGING INTERVALS			
0 55		Clay							
55 90		Shale							
90 110		Sand rock							
7) CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/30/91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/yr) 6/11/91 under the business name of Kelly's Water Well Service by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									