

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Pawnee		SE ¼ NW ¼ NW ¼	9	T 22 S	R 18 E/W
Distance and direction from nearest town or city street address of well if located within city? 1½ south of Sanford, Ks.					
2 WATER WELL OWNER:					
RR#, St. Address, Box # :		Marion Froetschner 807 Morris Larned, Ks. 67550		Board of Agriculture, Division of Water Resources	
City, State, ZIP Code :				Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align:center;">N W NE SW SE S</div>		4 DEPTH OF COMPLETED WELL . . . 139 . . . ft. ELEVATION: . . . Depth(s) Groundwater Encountered 1. . . ft. 2. . . ft. 3. . . ft. WELL'S STATIC WATER LEVEL . . . 34' 10" . . . ft. below land surface measured on mo/day/yr 11-3-94 Pump test data: Well water was . . . ft. after . . . hours pumping . . . gpm Est. Yield . . . gpm: Well water was . . . ft. after . . . hours pumping . . . gpm Bore Hole Diameter WAS . . . in. to . . . ft., and . . . in. to . . . ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped Welded Threaded			
<u>1 Steel</u> 3 RMP (SR)		5 Wrought iron 8 Concrete tile			
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)			
Blank casing diameter . . . 16 . . . in. to . . . Dia . . . in. to . . . ft., Dia . . . in. to . . . ft.		Casing height above land surface . . . in., weight lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:		SCREEN OR PERFORATION OPENINGS ARE:			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		7 PVC 10 Asbestos-cement NA			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		11 Other (specify) NA			
SCREEN OR PERFORATION INTERVALS:		12 None used (open hole)			
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)		6 Wire wrapped 9 Drilled holes NA			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) NA		SCREEN-PERFORATED INTERVALS:			
From . . . NA . . . ft. to . . . NA . . . ft.		GRAVEL PACK INTERVALS:			
From ft. to ft.		FROM TO PLUGGING INTERVALS			
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other		Grout Intervals: From . . . 35 . . . ft. to . . . 3 . . . ft.			
What is the nearest source of possible contamination:		1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well		3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)			
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
139	35	Sand and gravel			
35	3	Cement			
		cut casing off 3' below ground level and filled in.			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-5-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 1-19-95 under the business name of Rosencrantz-Bemis by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY AND PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					