	W/	ATER WELL RE	CORD Form WWC	5 KSA 8	2a-1212 ID	No			
1 LOCATION OF		Fraction	NIT 7 CI		tion Numbe		p Number	Range Number	
County: Pawne		SE 1/4	NW 1/4 SI	74	4	Т	<sup>22</sup> s	R 19 Ew	
	ction from nearest to south of R		et address of well if loca	ited within ci	ty?				
2 WATER WELL		n Woelk							
RR#, St. Address,	700	1 Box 26				Poord o	f Agricultura F	Division of Water Resource	
City, State, ZIP Co	de : Roz	el, Ks. 67		176		Applicat	ion Number:	28,889	
								• • • • • • • • • • • • • • • • • • • •	
AN "X" IN SEC	TION BOX: N							tt.	
<u> </u>	ı							6-22-00gpm	
	-   NE	Fet Viold 3	00 gpm: Well wat	was		after 8	nours p	oumping gpm oumping300 gpm	
	I I	Bore Hole Dier	notor 28 in t	, was	76 #	and	Hours p	in. to	
		1	TO BE USED AS: 5			8 Air conditioni		in. to	
<del>-</del>		1 Domestic		Dil field wate		9 Dewatering	•	ther (Specify below)	
sw-	SE	2 Irrigation				-			
	1	Was a shamisal	Manatarialagiaal aassala a	bunitted to De		a Na	Х . и	no/day/yrs sample was sub	
<u>*</u>	<u> </u>	mitted	oacteriological sample su	Diffilled to De		s No er Well Disinfec	- ·	no/day/yrs sampl <b>e w</b> as <b>su</b> t No	
5 TYPE OF BLAN	IK CASING USED:		5 Wrought iron	8 Concr				d. X Clamped	
1 Steel	3 RMP (S	SR)	6 Asbestos-Cement	9 Other	(specify belo	ow)	Weld	ed	
2 PVC	4 ABS		7 Fiberglass					aded	
Blank casing dian	neter 1,6	in. to1	16 ft., Dia	ir	. to	ft., Dia		in. to	
Casing height abo	ove land surface	12	in., weight sched	ıle 40	lbs	./ft. Wall thickne	ess or gauge N	0	
TYPE OF SCRE	EN OR PERFORA	TION MATERIAL	<u>.:</u>	<u>7 PV</u>	<u>C</u>	10	Asbestos-cem	ent	
1 Steel	3 Stainles	5 Fiberglass	erglass 8 RMP (SR)			11 Other (specify)			
2 Brass	4 Galvani	6 Concrete tile				None used (or			
	RFORATION OPE		5 Gauzed wrapped 6 Wire wrapped			8 Saw cut	1	11 None (open hole)	
1 Continuous 2 Louvered sl		filf slot (ey punched	5 Wire 7 Torcl	• •		9 Drilled ho			
	RATED INTERVA				ft Fro	m	ft t	o	
CONLEGATION	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		ft. to		ft., Froi	m	ft. t	o	
GRAVE	L PACK INTERVA	LS: From	. <u>1</u> .76 ft. to	20 .	ft., Froi	m	ft. t	o	
		From	ft. to			_		o	
6 GROUT MATE	RIAL: 1 Neat o		2 Cement grout						
Grout Intervals:	From	ft. to		ft.	to	ft., From	1	ft. to	
	est source of possi	ible contaminatio				stock pens		bandoned water well	
1 Septic tank		ral lines	7 Pit privy		11 Fuel storage			15 Oil well/Gas well	
2 Sewer lines	5 Cess	•	8 Sewage lagoon		12 Fertilizer storage			16 Other (specify below)	
_	ewer lines 6 Seep	oage pit	9 Feedya	d		cticide storage		ne	
Direction from we				- FROM		any feet?	BLUGONIO II	TEDVALO	
FROM TO	top soi	LITHOLOGIC L	OG	FROM	ТО		PLUGGING IN	ITERVALS	
3 1									
11 48		,	mealey clay						
48 52	l l		clay some rock				· · · · · · · · · · · · · · · · · · ·		
52 63	. 12			<u> </u>			-	TARREST AND ADDRESS AND ADDRES	
63 70		ck, sandy	clay						
70 72	2 brown cla	iy					· · · · · · · · · · · · · · · · · · ·		
72 82	2 sandy yel	low brown	gray clay w/sa	nd & san	d rock				
82 86	redish br	own sand r	ock & clay						
			gray fire cla	у					
1 1	20 sand rock	•	andy shale						
	30 fire clay								
130 10	76sand rock	:		<u> </u>					
		ER'S CERTIFICA						der my jurisdiction and was	
completed on (mo/	aay, you, ,	·6-00 134						owledge and belief. Kansas	
Water Well Contra			This Water W	ell Record wa	s completed	on (mo/day/yr)	7-7-		
under the business	name of	Rosencrant	z-Bemis		by (s	ignature)	media	2 Donator	
l .			RMLYand PRINT clearly. Please 9 785-296-5524. Send one to WA					Kansas Department of Health and	