		W	ATER WELL R	ECORD	Form WWC	-5 KSA 8	2a-1212 II	D No		***	
1 LOCATION	ON OF W	ATER WELL:	Fraction			Sec	ction Number	er Townsh	nip Number	Range Number	
County:	Fawn	ee	NE.	1/4 NW	7 1/4 N	JW 1/4	11	Т	22 S	R 19 5/W	
Distance a	nd directio	n from nearest		et address	of well if loc	ated within ci	ty?				
2½ so	uth. 3	/4 west of	Rozel K	S							
2 WATER			n Woelk								
RR#, St. A		J J J J	1 Box 26					Board (of Agriculture F	Division of Water Resources	
City, State, ZIP Code : Rozel, Ks. 67574									tion Number:		
		1102			TED WELL	116	4 5 5			25,221	
	N SECTIO										
AN "X" I	N SECTION	DN BOX:								ft.	
<u> </u>	X	ı								·7-3-01·····	
1 1		1								oumping gpm	
	-NW	NE	Est. Yield	3V.Ugp	m: Well wat	er was	/./ ft	t. after	hours p	oumping 3.00 gpm	
	1									in. to ft,	
≅ w	- 	E	WELL WATE	R TO BE U						njection well	
7			1 Domest	ic 3 Fee	edlot 6	Oil field water	r supply	9 Dewatering	12 0	Other (Specify below)	
	- SW	SE	2 Irrigation	n 4 Ind	lustrial 7	Domestic (law	n & garden)	10 Monitoring v	vell		
1	! !	!	Man a shamin	— al/haeteriales	riaal aa-mala e	ubmitted to De		'aa Na	V . If	no/day/yrs sample was sub-	
<u> </u>			mitted	avbacteriolog	gicai sampie s	ubmilled to De		es No Iter Well Disinfe			
5 TVPE O	E BI ANK	CASING USED:		5 Wroug	ıht iron	8 Concr	ete tile			No x	
1 Steel		3 RMP (S		-	tos-Cement		(specify be			led	
		•	in)					•			
2 PVC	_	4 ABS		7 Fiberg						aded	
										in. to	
Casing he	ight above	land surface	12	. in., weight	tsch	iedute.40) lb	s./ft. Wall thickr	ess or gauge N	lo	
TYPE OF	SCREEN	OR PERFORA	TION MATERIA	AL:		7 PV	C	10	Asbestos-cem	ent	
1 Steel 3 Stainless steel 5 F					berglass 8 RMP (SR)		11	Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									en hole)		
SCREEN	OR PERF	ORATION OPE	NINGS ARE:		5 Gau	zed wrapped		8 Saw cut		11 None (open hole)	
	tinuous slo		fill slot		6 Wire	wrapped		9 Drilled he		·	
	ered shut		(ey punched		7 Toro					\ldots	
										o	
			From	44'E	ft. to		ft., Fro	om	ft. t	o	
	GRAVEL I	PACK INTERVA	LS: From	†Y5	ft. to .	49	ft., Fro	om	ft. t	o	
			From	• • • • • • • • •	ft. to .	.				o	
6 GROUT	MATERIA	AL: 1 Neat o	cement	2 Cemer	nt grout	3 Bento	nite	4 Other	hole pl	ug	
Grout Inte	ervals: Fr	_{om} 20	ft. to	0ft	., From		to	ft., From	n	ft. to	
What is the nearest source of possible contamination:								10 Livestock pens		bandoned water well	
1 Septic tank 4 Lateral lines								11 Fuel storage		il well/Gas well	
2 Sewer lines 5 Cess pool					8 Sewage lagoon		12 Fertilizer storage			16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit				9 Feedyard					none		
Direction from well?					•			many feet?			
		,						nany teet?			
FROM	то		LITHOLOGIC	LOG		FROM	то		PLUGGING IN	ITERVALS	
0	3	Top soil							· · · · · · · · · · · · · · · · · · ·		
3	10	Brown cla	ıy								
10	43	Light bro	wn soft c	lay							
43	46	Dark brow	m clav								
46	52	Sandy brown clay									
52	56	Fine sand									
56	72	Sand & gravel									
72	76	Gray clay									
	81	Fine sand									
76											
81	95	Dark gray clay, soft			,						
95	99½	Dark brown sand & gravel				-					
99½	115	Sand rock	k & shale				ļ				
							<u> </u>				
										der my jurisdiction and was	
completed	on (mo/da	y/year) . 7 ~	6-01				and this rec	ord is true to th	e best of my kn	owledge and belief. Kansas	
) 1	
under the b			sencrantz							Redson	
-: -	:= 32 77	1/10		ن عدید			~, ·		neauce	peracon	