		WA	TER WELL REC	CORD For	m WWC-		2a-1212 II				
1 LOCATION	OF WA	TER WELL:	Fraction			Sec	tion Numbe	1	Number	Range Number	
	awnee		SW 1/4			1/4	_1	т 22	S	R 19W E/W	
Distance and	direction	from nearest t	own or city stree	t address of w	ell if loca	ted within ci	ty?				
1/4S, 2	W of	Sanford, I	Ks.								
2 WATER WI	ELL OW	NER: Joe	Powell								
RR#, St. Addr City, State, ZII		# : RR ]	l Box 4 el, KS 6757	7.1				Board of Application	Agriculture, l on Number:	Division of Water Resource	
3 LOCATE W	FLI'S LO	CATION WITH	A DEPTH OF	COMPLETED	WELL	100	ft ELEV				
AN "X" IN S			Depth(s) Groun	dwater Encour	ntered	1 40 ) # bala		ft. 2	ft. 3.	5/21/02 ft.	
<u> </u>			WELLSSIAIIC	VVAIER LEVI	=L <del>*</del> ?	II. Deic	ow iand suns	ace measured on r	no/day/yr		
N\	W X	- NE								oumping . 9.70 gpm oumping gpm	
			Bore Hole Diam	eter40	in. to	1.08		., and		in. to ft.	
₩ W		E	WELL WATER	TO BE USED	AS: 5 F	Public water	supply	8 Air conditionin	g 11 lr	njection well	
7			1 Domestic	3 Feedlot	6 (	Dil field wate	r supply	9 Dewatering	12 (	Other (Specify below)	
	w  -	- SE	2 Irrigation	_ 4 Industria	al 70	Domestic (law	n & garden)	10 Monitoring we	II		
		!	Mas a shamian!	haatarialaaisal s	amala au	hmittad ta Da	nadmania V	aa Na	. 16	no/day/yrs sample was sub	
<u> </u>		!	mitted	Dacteriological s	sample su	omilited to be		ter Well Disinfecte		• •	
5 TYPE OF B	BLANK C	ASING USED:		5 Wrought iro	n	8 Concre				No ed Clamped	
1 Steel		3 RMP (SI		6 Asbestos-C			(specify be			ied	
2 PVC		4 ABS	, ,	7 Fiberglass	201110111					aded	
	diameter		in to 00	•	io					in. to	
								s./ft. Wall thicknes	ss or gauge N	lo Sch. 40	
	CREEN C	· · · · — · · · · · · · · · · · · · · ·	TION MATERIAL	-		7 PV			sbestos-cen		
1 Steel 3 Stainless steel 5 Fiber 2 Brass 4 Galvanized steel 6 Cond					• • •						
				6 Concrete til					one used (or	·	
1 Continu		RATION OPE	NINGS ARE: ill slot			ed wrapped		8 Saw cut		11 None (open hole)	
2 Louvere			ey punched		7 Torch	wrapped		9 Drilled hole			
				88			4 F.			o	
SOMELINIE	.ni Onai	LD INTERVAL	From	.99	ft to	. +	ft Fro	m		ο	
GR	RAVEL PA	CK INTERVAL								o	
			From		ft. to	100	ft., Fro	om	ft. t	o	
6 GROUT M	ATERIAL	: 1 Neat c		2 Cement gro						• • • • • • • • • • • • • • • • • • • •	
				-						ft. to	
					лТ€	)					
What is the nearest source of possible contamination:  1 Septic tank  4 Lateral lines					7 Dit priva			10 Livestock pens		14 Abandoned water well 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool					7 Pit privy			<ul><li>11 Fuel storage</li><li>12 Fertilizer storage</li></ul>			
3 Watertight sewer lines 6 Seepage pit					8 Sewage lagoon			-		Other (specify below)	
,	9	9 Feedyard			ecticide storage	none -	in field				
Direction from			ITUOLOGIO LO					any feet?			
	ТО		ITHOLOGIC LC	)G		FROM	ТО	P	LUGGING IN	ITERVALS	
0	4	top soil							<del>*                                    </del>		
4	16	clay									
16	18	sand									
18	50	clay						••, , , , , , , , , , , , , , , , , , ,			
50	83	sandy cl	ay								
83 1	L08	sand and	gravel								
			<del>"</del>								
		-									
				****							
7 CONTRACT	TOR'S OF	R LANDOWNE	R'S CERTIFICAT	ION: This water	er well wa	as (1) constri	ucted. (2) re	constructed or (3	) plyaged un	der my jurisdiction and was	
		year) 05/								owledge and belief. Kansas	
				Thie V	Vater Wa	Il Record wa	s complete	on (mo/day/yr) .	05/29/0	)2	
under the busin	nace nam	e of Kelly	's Water W	ell Servi	ce. Ti	n riecolu wa NC.	o completed	signatural \$ 4		DU 1	
ander ale pasi	iicoo iidii	10 01 2 CTTJ					Dy (	oignature) Ka	LAum	& Goad	