USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215



Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansos 66620

1. Location of well:	Pawree	Froction	C/50	1/4	Section	number	Township number	Range number	E/W	
2. Distance and direction from nearest town or city: 2. Distance and direction from nearest town or city: 3. Owner 2. Distance and direction from nearest town or city: 3. Owner R.R. or sh						er of well: Lorraine Couchman				
Street address of well location if in citý: City, state, zip code: G										
4. Locate with "X" in		Sketch map:					6. Bore hole dia. 29 in Well depth 95 ft.	. Completion date	5	
NW	 NE						7 Cable tool Rotary Hollow rod Jetted		e rotary	
							8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other			
						9. Casing: Material Steel Height: Above or below Threaded Welded Surface 18 in.				
S 1 Mile							PVC	Weight	lbs./ft.	
5. Type and color of material					From	То	Dia in. to ft. dep	th gage No. 7		
7505	``)	 .			1	12	10. Screen: Manufacturer's r			
10000	it I				0	17	Storygouze 3/16	_ Dia/ 6 _ Length40		
Cay	2 1				3	//		ft, and <u>195</u>	ft.	
Brown (<u>lay</u>			"	17	41	Gravel pack?Size ra	nge of material $\frac{1/2}{2}$	47/8	
29th 2x	and E Clay				41	20	11. Static water level:ft. below land sur		day/yr. 2~ 7 5	
Rysty Gravel & little Clay					10	85	12. Pumping level below land			
Fire Clav & Sand Rock					85	99	ft. after }	ors. pumping	g.p.m.	
Shale	<i>l</i>				97	135	Estimated maximum yield		g.p.m. day/yr.	
Sand	rack				13S	061	Yes No 14. Well head completion:	Date <u>5 20 -</u>	25	
Shale.					180	183	Pitless adapter	Inches above gr	ade	
SANC 1	ock				182	145	With: Neat cement Depth: From ft. to	Bentonite Co	oncrete	
Fre Clo	iv & Shale				195	210	16. Negrest source of possible ft Direction	contamination:	P	
	Г 						Well disinfected upon comple		_No	
							17. Pump: Manufacturer's name Fair	•		
							Model number <u>(a ∓7 € b/o8 ~ 11</u> Length of drop pipe <u>170</u>	HP Volts ft . capocity g	<u>,,p.m.</u>	
							Type: Submersible	Turbine	.	
	(Use a second s	neet if needed))				Jet Centrifugal	Reciproco	ating O	
18. Elevation: 2105	19. Remarks: 26 / 27	· · · · · · · · · · · · · · · · · · ·				•	20. Water well contractor's of This well was drilled under m	ertification:	eport 0	
Topography:			, .	- (1			is true to the best of my know	ledge and belief. z – Bemis /	134	
— HIII 22 19 8 AK V							Business name Address		ise No.	
Upland Valley							Signed Madia No. Authorized rep	resentative Date	30/7 D	
F	e and nink conies to the Department	. د					,	Form WWC	·— · £	