2 WATER WELL OWNER: GAIL RR#, St. Address, Box # City, State, ZIP Code ROZEL 3 DEPTH OF COMPLETED WELL. Well Water to be used as: 1 Domestic 3 Feedlot 2 Trigation 4 Industrial Well's static water level 26. Pump Test Data Est. Yield 50 plus gpm: 4 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (3 PVC 4 ABS) Blank casing dia 5. Casing height above land surface. TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainlete 2 Brass 4 Galvant Screen or Perforation Openings Are: 1 Continuous slot 3 Screen-Perforated Intervals: Screen-Perforated Intervals: From. Gravel Pack Intervals: From. From. 5 GROUT MATERIAL: 1 Neat Grouted Intervals: From. What is the nearest source of possible 1 Septic tank 4 Ces	SE ty own or city? 5 ZEL KS. COLGLAZIER A, KANSAS 6 T.4. ft. 5 Public water 6 Oil field water 7 Lawn and g ft. below la Well water was Well water was SR) in. to 54 CON MATERIAL: ses steel mized steel Mill slot Key punched in. to 74	Bore Hole Diameter	Street address Street address Street address Air condition Dewatering Octobe Cotobe A Street address RMP Other (sp in. to 7 PVC 8 RMP 9 ABS d wrapped wrapped cut in. to ft.,	oning g on well rmonth hou hou e tile specify below)lbs./ft. \ (SR)	Board of Agriculture, Application Number: ft., and 11 Injection well 12 Other (Specif 22	ify below) day 1980 yea gpr d XX Clamped ded ded ded ded ded ded ded ded ded
Distance and direction from nearest to of RO 2 WATER WELL OWNER: GAIL. RR#, St. Address, Box #: City, State, ZIP Code ROZEL 3 DEPTH OF COMPLETED WELL. Well Water to be used as: 1 Domestic 3 Feedlot 2 Trigation 4 Industrial Well's static water level 26. Pump Test Data Est. Yield 50 plus gpm: 4 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (3 2 PVC 4 ABS) Blank casing dia 5. Casing height above land surface. TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainle 2 Brass 4 Galvant Screen or Perforation Openings Are: 1 Continuous slot 3 Industrial 2 Louvered shutter 4 Industrial Screen-Perforated Intervals: From From. Gravel Pack Intervals: From From. Gravel Pack Intervals: From From. 5 GROUT MATERIAL: 1 Neat Grouted Intervals: From From From From. Screen-Perforation Dia 5 See 3 Lateral lines 5 See 3 Lateral lines 5 See 3 Lateral lines 6 Pit 10 Direction from well Worth MORTH Was a chemical/bacteriological sample was submitted Interver's name. If Yes: Pump Manufacturer's name.	COLGLAZIER KANSAS 6 7.4	Bouth & Land Company C	Street address Street address in. to Air condition Dewatering Octobe Cotobe A Sconcrete Other (sp in. to 7 PVC 8 RMP 9 ABS ed wrapped wrapped cut in. to ft.,	to	Board of Agriculture, Application Number: ft., and 11 Injection well 12 Other (Specif 22 urs pumping Casing Joints: Glued Weld Three ft., Dia Wall thickness or gauge f 10 Asbestos-ceme 11 Other (specify) 12 None used (op Saw cut Drilled holes Other (specify)	Division of Water Resource in. to
WATER WELL OWNER: GAIL RR#, St. Address, Box # City, State, ZIP Code ROZEL BORNELL OWNER: GAIL RR#, St. Address, Box # City, State, ZIP Code ROZEL DEPTH OF COMPLETED WELL Well Water to be used as: 1	COLGLAZIER KANSAS 6 74t. 5 Public water 6 Oil field water 7 Lawn and gt. below law water was Well water was Well water was SR) in to	Bore Hole Diameter or supply ster supply garden only and surface measured on the after 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass ft., Dia in., weight 5 Fiberglass 6 Concrete tile 5 Gauze 6 Wire v 7 Torch ft., Dia ift. to	8in. to 8 Air condition 9 Dewatering 10 Observation Octobe 4 8 Concrete 9 Other (sp. in. to 7 PVC 8 RMP 9 ABS ed wrapped wrapped cutin. to	oning g on well rmonth hou hou e tile specify below)lbs./ft. \ (SR)	Board of Agriculture, Application Number: ft., and 11 Injection well 12 Other (Specif 22	in. to
WATER WELL OWNER: GAIL RR#, St. Address, Box # City, State, ZIP Code ROZEL BETH OF COMPLETED WELL. Well Water to be used as: 1 Domestic 3 Feedlot 2 Trigation 4 Industrial Well's static water level 26 Pump Test Data Est. Yield 50 plus gpm: 1 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (6 2 PVC 4 ABS Blank casing dia 5 Casing height above land surface. TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainlet 2 Brass 4 Galvan Screen or Perforation Openings Are: 1 Continuous slot 3 Screen-Perforated Intervals: From. Gravel Pack Intervals: From. Gravel Pack Intervals: From. From. From. GROUT MATERIAL: 1 Neat Grouted Intervals: From. From. From. GROUT MATERIAL: 1 Neat 2 Sewer lines 5 See 3 Lateral lines 6 Pit Was a chemical/bacteriological sample was submitted. If Yes: Pump Manufacturer's name.	KANSAS 6 74	Bore Hole Diameter	8 Air condition 9 Dewatering 10 Observation Octobe 4. 8 Concrete 9 Other (sp. in. to 7 PVC 8 RMP 9 ABS ed wrapped wrapped cut in. to	to	Application Number: ft., and 11 Injection well 12 Other (Specification Specification Specificatio	in. to
City, State, ZIP Code ROZEL BI DEPTH OF COMPLETED WELL Well Water to be used as: 1 Domestic 3 Feedlot 2 Trigation 4 Industrial Well's static water level 26 Pump Test Data Est. Yield 50 plus gpm: 4 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (3 2 PVC 4 ABS) Blank casing dia 5. Casing height above land surface. TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainlete 2 Brass 4 Galvant Screen or Perforation Openings Are: 1 Continuous slot 3 Industrial 2 Louvered shutter 4 Industrial Screen-Perforated Intervals: From. From. Gravel Pack Intervals: From. From. Gravel Pack Intervals: From. From. From. Gravel Pack Intervals: From.	5 Public water 6 Oil field water 7 Lawn and g ft. below la Well water was Well water was SR) in. to 54 CON MATERIAL: ess steel mized steel Mill slot Key punched in. to 74	Bore Hole Diameter	8 Air condition 9 Dewatering 10 Observation Octobe 4. 8 Concrete 9 Other (sp. in. to 7 PVC 8 RMP 9 ABS ed wrapped wrapped cut in. to	to	Application Number: ft., and 11 Injection well 12 Other (Specification Specification Specificatio	in. to
DEPTH OF COMPLETED WELL. Well Water to be used as: 1 Domestic 3 Feedlot 2 Trigation 4 Industrial Well's static water level 26. Pump Test Data Est. Yield 50 plus gpm: 1 Steel 3 RMP (32 PVC 4 ABS) Blank casing dia 5. Casing height above land surface. TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainle 2 Brass 4 Galvant Screen or Perforation Openings Are: 1 Continuous slot 3 Industrial 2 Louvered shutter 4 Industrial Screen-Perforated Intervals: From. From. Gravel Pack Intervals: From. From. Gravel Pack Intervals: From.	7.4 ft. 5 Public water 6 Oil field wat 7 Lawn and g ft. below la Well water was Well water was Well water was SR) in. to 54 CON MATERIAL: ss steel nized steel Mill slot Key punched in. to 74	Bore Hole Diameter. For supply ster supply garden only garden only and surface measured on the fit. after fit	8 Air condition 9 Dewatering 10 Observation Octobe 4. 8 Concrete 9 Other (sp.) in. to 7 PVC 8 RMP 9 ABS ed wrapped wrapped cut in. to	to	tt., and 11 Injection well 12 Other (Specification of the content of the conten	ify below) day 1980 yea gpr d XX Clamped ded ded ded ded ded ded ded ded ded
Well Water to be used as: 1 Domestic 3 Feedlot 2 Trigation 4 Industrial Well's static water level 26. Pump Test Data Est. Yield 50 plus gpm: 4 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (32 PVC 4 ABS Blank casing dia 5. Casing height above land surface. TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainle: 2 Brass 4 Galvant Screen or Perforation Openings Are: 1 Continuous slot 3 Incomplete Screen-Perforated Intervals: Screen-Perforated Intervals: From. From. Gravel Pack Intervals: From.	5 Public water 6 Oil field water 7 Lawn and g ft. below la Well water was Well water was SR) in. to 54 12. ON MATERIAL: ess steel mized steel Mill slot Key punched in. to 74.	er supply ster supply garden only and surface measured on 3. 35 ft. after 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Air condition 9 Dewatering 10 Observation Octobe 4. 8 Concrete 9 Other (sp.) in. to 7 PVC 8 RMP 9 ABS ed wrapped wrapped cut in. to	oning g on well F month hou hou e tile specify below)	11 Injection well 12 Other (Specification of the content of the co	ify below) day 1980 yea gpr d XX Clamped ded ded ded ded ded ded ded ded ded
1 Domestic 3 Feedlot 2 Trigation 4 Industrial Well's static water level 26 Pump Test Data Est. Yield 50 plus gpm: 4 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (6) 2 PVC 4 ABS Blank casing dia 5. Casing height above land surface. TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainleter 2 Brass 4 Galvant Screen or Perforation Openings Are: 1 Continuous slot 3 Incomplete Screen-Perforated Intervals: Screen-Perforated Intervals: From. From. Gravel Pack Intervals: From.	6 Oil field wat 7 Lawn and g ft. below la Well water was Well water was SR) in. to 54 12. ON MATERIAL: ess steel mized steel Mill slot Key punched in. to 74.	ter supply garden only and surface measured on 5	9 Dewatering 10 Observatio Octobe 4	g on well Tmonthhou hou e tile specify below)lbs./ft. \ (SR) 8 9		day 1980 yea day 1980 yea gpi d XClamped ded ded ded ded ded ded ded ded ded
2 Trrigation 4 Industrial Well's static water level 26. Pump Test Data Est. Yield 50 plus gpm: 4 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (6 2 PVC 4 ABS Blank casing dia 5. Casing height above land surface TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainle 2 Brass 4 Galvan Screen or Perforation Openings Are: 1 Continuous slot 3 Galvan 2 Louvered shutter 4 Galvan Screen-Perforation Dia 5. Screen-Perforated Intervals: From From Gravel Pack Intervals: From From From GROUT MATERIAL: 1 Neat Grouted Intervals: From 5. What is the nearest source of possible 1 Septic tank 4 Ces 2 Sewer lines 5 See 3 Lateral lines 6 Pit Intervals a chemical/bacteriological sample was submitted Was a chemical/bacteriological sample was submitted f Yes: Pump Manufacturer's name	7 Lawn and g ft. below la Well water was Well water was SR) in. to 54 12. ON MATERIAL: ess steel nized steel Mill slot Key punched in. to 74.	garden only and surface measured on the street of the after to the street of the after the street of the street of the street of the after the street of the street of the street of the after of the street	8 Concrete 9 Other (sp. 7 PVC 8 RMP 9 ABS ed wrapped wrapped cut in. to	e tile specify below) (SR)		day 1980 yea gpi gpi d XX Clamped ded aded in to No 200 plus ent) pen hole) 11 None (open hole)
Well's static water level	media of the second of the sec	and surface measured on the after of the aft	8 Concrete 9 Other (sp in. to 7 PVC 8 RMP 9 ABS ed wrapped wrapped cut in. to ft.,	e tile specify below) (SR)	Z2	day 1980 yea gpr gpr d XX Clamped aded in to No 200 plus ent) ben hole) 11 None (open hole)
Pump Test Data Est. Yield 50 plus gpm: 4 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (3 2 PVC 4 ABS) Blank casing dia 5. Casing height above land surface. TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainle: 2 Brass 4 Galvant 2 Brass 4 Galvant 3 I Continuous slot 3 I Continuous slot 3 I Continuous slot 2 Louvered shutter 4 I Screen-Perforation Dia 5 Screen-Perforated Intervals: From From From From From From From From	Well water was Well water was SR) in. to	5 Wrought iron 6 Asbestos-Cernent 7 Fiberglasst., Diaweight 5 Fiberglass 6 Concrete tile 5 Gauze 6 Wire w 7 Torchtt, Dia	8 Concrete 9 Other (sp. in. to 7 PVC 8 RMP 9 ABS ed wrapped wrapped cut in. to	e tile specify below)	casing Joints: Glued Weld Three ft., Dia Wall thickness or gauge f 10 Asbestos-ceme 11 Other (specify) 12 None used (op Saw cut Drilled holes Other (specify)	gpi d . XX Clamped
Est. Yield 50 plus gpm: 1 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (1) 2 PVC 4 ABS Blank casing dia 5. Casing height above land surface. TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainle: 2 Brass 4 Galvant Screen or Perforation Openings Are: 1 Continuous slot 3 lead of the continuous slot 2 Louvered shutter Screen-Perforated Intervals: From. From. From. Gravel Pack Intervals: GROUT MATERIAL: 1 Neat Grouted Intervals: From. From.	well water was SR) in. to	5 Wrought iron 6 Asbestos-Cement 7 Fiberglassft., Dia 5 Fiberglass 6 Concrete tile 5 Gauze 6 Wire w 7 Torchft., Dia	8 Concrete 9 Other (sp	house tile specify below)	Casing Joints: Glued Weld Three ft., Dia Wall thickness or gauge it 10 Asbestos-ceme 11 Other (specify) 12 None used (op Saw cut Drilled holes Other (specify)	gpr d . XX Clamped
1 Steel 3 RMP (1) 2 PVC 4 ABS Blank casing dia 5. Casing height above land surface. TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainle 2 Brass 4 Galvant Screen or Perforation Openings Are: 1 Continuous slot 3 Incomplete a surface. TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainle 2 Brass 4 Galvant Screen or Perforation Openings Are: 1 Continuous slot 3 Incomplete a surface. 2 Louvered shutter 5 Screen-Perforated Intervals: From From From From From From From From	in. to	6 Asbestos-Cement 7 Fiberglass	9 Other (sp in. to	(SR)	Weld Three ft., Dia Wall thickness or gauge f 10 Asbestos-ceme 11 Other (specify) 12 None used (op Saw cut Drilled holes Other (specify)	ded
2 PVC Blank casing dia Casing height above land surface. TYPE OF SCREEN OR PERFORATION 1 Steel 2 Brass 4 Galvan Screen or Perforation Openings Are: 1 Continuous slot 2 Louvered shutter 4 Screen-Perforated Intervals: From. From. Gravel Pack Intervals: From. F	in. to	7 Fiberglassft., Diain., weight 5 Fiberglass 6 Concrete tile 5 Gauze 6 Wire v 7 Torchft., Dia	9 Other (sp in. to	(SR)	Weld Three ft., Dia Wall thickness or gauge f 10 Asbestos-ceme 11 Other (specify) 12 None used (op Saw cut Drilled holes Other (specify)	ded
Blank casing dia	in. to	5 Fiberglass 6 Concrete tile 5 Gauze 6 Wire v 7 Torch ft., Dia	7 PVC 8 RMP 9 ABS ed wrapped wrapped cut in. to	(SR) 8 9	Three ft., Dia Wall thickness or gauge it 10 Asbestos-ceme 11 Other (specify) 12 None used (op Saw cut Drilled holes Other (specify)	aded
Casing height above land surface TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainle. 2 Brass 4 Galvan Screen or Perforation Openings Are: 1 Continuous slot 3 Inc. 2 Louvered shutter 4 Inc. Screen-Perforated Intervals: From. Gravel Pack Intervals: From. From. From. Gravel Pack Intervals: From. From	ON MATERIAL: ess steel mized steel Mill slot Key punchedin. to	5 Fiberglass 6 Concrete tile 5 Gauze 6 Wire w 7 Torch ft., Dia	7 PVC 8 RMP 9 ABS ed wrapped wrapped cut in. to	lbs./ft. \ (SR) 8 9 10	Wall thickness or gauge for 10 Asbestos-cemes 11 Other (specify) 12 None used (op Saw cut Drilled holes Other (specify)	No · 200 · plus · · · · · · · · · · · · · · · · · · ·
TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainler 2 Brass 4 Galvan Screen or Perforation Openings Are: 1 Continuous slot 3 1 2 Louvered shutter Screen-Perforation Dia 5 Screen-Perforated Intervals: From From From From From From From From	ON MATERIAL: ess steel nized steel Mill slot Key punchedin. to 74	5 Fiberglass 6 Concrete tile 5 Gauze 6 Wire v 7 Torchft., Dia	7 PVC 8 RMP 9 ABS ed wrapped wrapped cutin. toft,	8 9 10	10 Asbestos-ceme 11 Other (specify) 12 None used (op Saw cut Drilled holes Other (specify)	ent)
1 Steel 3 Stainler 2 Brass 4 Galvan Screen or Perforation Openings Are: 1 Continuous slot 3 1 2 Louvered shutter Screen-Perforation Dia 5 Screen-Perforated Intervals: From. F	Mill slot Key punchedin. to	5 Fiberglass 6 Concrete tile 5 Gauze 6 Wire v 7 Torchft., Dia	8 RMP 9 ABS ed wrapped wrapped cut in. to ft.,	(SR) 8 9 10	11 Other (specify) 12 None used (op Saw cut Drilled holes Other (specify)	pen hole) 11 None (open hole)
2 Brass 4 Galvan Screen or Perforation Openings Are: 1 Continuous slot 3 1 2 Louvered shutter Screen-Perforation Dia 5 Screen-Perforated Intervals: From. F	Mill slot Key punchedin. to	6 Concrete tile 5 Gauze 6 Wire v 7 Torchft., Dia	9 ABS ed wrapped wrapped cutin. toft,	8 9 10	12 None used (op Saw cut Drilled holes Other (specify)	pen hole) 11 None (open hole)
Screen or Perforation Openings Are: 1 Continuous slot 2 Louvered shutter Screen-Perforation Dia Screen-Perforated Intervals: From. From. From. Gravel Pack Intervals: From. From. From.	Mill slot Key punchedin. to	5 Gauze 6 Wire v 7 Torch ft., Dia	ed wrapped wrapped cutin. toft.,	8 9 10	Saw cut Drilled holes Other (specify)	11 None (open hole)
1 Continuous slot 2 Louvered shutter Screen-Perforation Dia Screen-Perforated Intervals: Gravel Pack Intervals: From From From GROUT MATERIAL: Grouted Intervals: From 1 Neat 3 I Agentic tank 4 Ces 2 Sewer lines 5 See 3 Lateral lines 6 Pit processor of possible	Key punched in. to 74	6 Wire v 7 Torch ft., Dia ft. to	wrapped cutin. toft.,	9 10	Drilled holes Other (specify)	
2 Louvered shutter Screen-Perforation Dia	Key punched in. to 74	7 Torchft., Dia ft. to	cut in to	10	Other (specify)	
Screen-Perforation Dia	in. to 74	ft., Dia ft. to	in. to		Other (specify)	
Gravel Pack Intervals: Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From. Notat is the nearest source of possible Septic tank Sep			ft.,		# Dia	in to
From. Gravel Pack Intervals: GROUT MATERIAL: GROUT MATERIAL: 1 Neat Grouted Intervals: From. Nhat is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Lateral lines 6 Pit Direction from well. NORTH Nas a chemical/bacteriological sample was submitted f Yes: Pump Manufacturer's name.	• • • • • • • • • • • • • • • • • • • •					
Gravel Pack Intervals: From. From. GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of possible Septic tank Septic tank Septic tank A Ces Sewer lines See Sewer lines A Lateral lines From. NORTH Was a chemical/bacteriological sample was submitted Fyes: Pump Manufacturer's name.		π. ιο π. ιο	ft			
From GROUT MATERIAL: Grouted Intervals: From What is the nearest source of possible Septic tank Septic tank Septic tank Septic tank Acces Sewer lines Sewer line		L5 ft. to				
Grouted Intervals: From			ft.,			
What is the nearest source of possible 1 Septic tank 2 Sewer lines 5 See 3 Lateral lines 6 Pit Direction from well Was a chemical/bacteriological sample was submitted f Yes: Pump Manufacturer's name	t cement	2 Cement grout				
1 Septic tank 4 Ces 2 Sewer lines 5 See 3 Lateral lines 6 Pit Direction from well NORTH Was a chemical/bacteriological sample was submitted f Yes: Pump Manufacturer's name	ft. to 	-15 ft., From	ft. t	to	ft., From	ft. to
2 Sewer lines 5 See 3 Lateral lines 6 Pit Direction from well NORTH Was a chemical/bacteriological sample was submitted f Yes: Pump Manufacturer's name	e contamination:	:		10 Fuel stora	ige 14 A	bandoned water well
3 Lateral lines 6 Pit Direction from well NORTH Was a chemical/bacteriological sample was submitted f Yes: Pump Manufacturer's name	ss pool	7 Sewage lago	on			Dil well/Gas well
Direction from well NORTH Was a chemical/bacteriological sample was submitted f Yes: Pump Manufacturer's name	epage pit	8 Feed yard		12 Insecticide	e storage 16 O	Other (specify below)
Was a chemical/bacteriological sample was submitted		9 Livestock per		13 Watertight	t sewer lines	· · · · · · · · · · · · · · · · · · ·
was submitted f Yes: Pump Manufacturer's name	Ho	ow many feet	ξΦ	.? Water Well	Disinfected? Yes	£ No
f Yes: Pump Manufacturer's name.	a submitted to De	Pepartment? Yes			. 	: If yes, date sample
Depth of Pump Intake 52	DENA		year: Pul	Imp installed?	Yes	No
20pm or 1 cmp mano 2 22		#	Pumps Canaci	ity rated at	пг. /	VOITS III
Type of pump: 1 Subme					al 5 Reciprocating	
CONTRACTOR'S OR LANDOWNE			as (1) constructo	led. (2) reconstr	ucted, or (3) plugged un	der my jurisdiction and w
completed on	October	month 29	· · · · · · · · · · · · · · · · · · ·	day	1980	va
and this record is true to the best of n	my knowledge ar	nd belief. Kansas Water W	Vell Contractor's	License No	245	
This Water Well Record was complete	mevow. no be	l ber m	onth10	0. 🚓 day	1980	vear under the busine
name of DEAN WATERHOUSE D	RILLING		by (signature)		Waterfren	
TECONIE WELLO LOOKIION	ROM TO			FROM	TO L	ITHOLOGIC LOG
WITH AN "X" IN SECTION BOX:	<u>0. 5</u>					
N	5 22				 	
	22 38		TT2 ess)			
NW NE	38 5 0	W 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
	50 60 60 65					
₩ 1 1 E	65 74		COH	+		
SW SE	12	DIG SUBTA				
<u> </u>						
5 1 Mile						
ELEVATION TIPT AND						
Depth(s) Groundwater Encountered		- Index	ff Δ	ff	(Use a second she	eat if needed)
NSTRUCTIONS: Use typewriter or bal copies to Kansas Department of Health	i Ze #	t. 2 ft 3		fill in blanks	derline or circle the serve	ot annuary Condition there