

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: HARVEY	NE 1/4 NW 1/4 NE 1/4	22	T 22 S	R 2 &W

Distance and direction from nearest town or city street address of well if located within city?

5 MILES SOUTH AND 1/4 MILE WEST OF MOUNDRIDGE, KANSAS

2 WATER WELL OWNER: LOREN SCHRAG	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: 12333 NW 72ND	Application Number: XXXX N/A
City, State, ZIP Code: MOUNDRIDGE, KS 67107	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 76 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 10.65 ft. below land surface measured on mo/day/yr 12/3/93 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>X</u> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter <u>5</u> in. to ft. Dia in. to ft. Dia in. to ft.			Threaded
Casing height above land surface <u>48</u> in. weight lbs./ft. Wall thickness or gauge No. <u>1/8 INCH</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) <u>NA</u>
SCREEN-PERFORATED INTERVALS: From <u>NA</u> ft. to <u>NA</u> ft. From ft. to ft. From ft. to ft.			
GRAVEL PACK INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 <u>Bentonite</u>	4 Other
Grout Intervals: From <u>11.5</u> ft. to <u>3.5</u> ft. From ft. to ft. From ft. to ft.				
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	<u>NO</u>
Direction from well? <u>EAST</u>			How many feet? <u>5</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			76	11.5	SAND
			11.5	3.5	BENTONITE HOLEPLUG
			3.5	0	TOPSOIL
WELL PLUGGING WITNESSED BY EQUUS BEDS GMD2 PERSONNEL, DON KOCI					

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>12/3/93</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>N/A</u> This Water Well Record was completed on (mo/day/yr) <u>12-3-93</u> under the business name of <u>N/A</u> by (signature) <u>Loren Schrag</u>
