


| | | | | | | | | | | | |
|---|--|--|--|------------------------------|--|---|--|--------------|--|--------------------|--|
| WATER WELL RECORD | | Form WWC-5 | | KSA 82a-1212 | | ID No. | | | | | |
| LOCATION OF WATER WELL: | | Fraction | | Section Number | | Township Number | | Range Number | | | |
| County: Harvey | | SE 1/4 SW 1/4 SW 1/4 | | 15 | | T 22 S | | R 2 EW | | | |
| Distance and direction from nearest town or city street address of well if located within city? 4 1/2 mi. S, 3 1/4 W of Moundridge - 12910 NW 72nd ST. | | | | | | | | | | | |
| WATER WELL OWNER: Mark Graber | | | | | | | | | | | |
| R#, St. Address, Box #: 12910 NW 72nd ST | | | | | | Board of Agriculture, Division of Water Resources | | | | | |
| City, State, ZIP Code: Moundridge, KS 67107 | | | | | | Application Number: | | | | | |
| LOCATE WELL'S LOCATION WITH | | 4 | | DEPTH OF COMPLETED WELL: 102 | | ft. ELEVATION: | | | | | |
| AN "X" IN SECTION BOX: | | Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. | | | | | | | | | |
|  | | WELL'S STATIC WATER LEVEL 25 ft. below land surface measured on mo/day/yr 5-24-01 | | | | | | | | | |
| | | Pump test data: Well water was 40 ft. after 1 hours pumping 25 gpm | | | | | | | | | |
| | | Est. Yield gpm: Well water was ft. after hours pumping gpm | | | | | | | | | |
| | | Bore Hole Diameter 8 in. to 10.6 ft. and in. to ft. | | | | | | | | | |
| | | WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well | | | | | | | | | |
| | | 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) | | | | | | | | | |
| | | 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well | | | | | | | | | |
| Was a chemical/bacteriological sample submitted to Department? Yes. No. X; If yes, mo/day/yr sample was submitted | | | | | | | | | | | |
| Water Well Disinfected? Yes X No | | | | | | | | | | | |
| TYPE OF BLANK CASING USED: | | | | | | | | | | | |
| 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) CASING JOINTS: Glued. X Clamped. | | | | | | | | | | | |
| 2 PVC 4 ABS 7 Fiberglass Threaded. | | | | | | | | | | | |
| Blank casing diameter 5 in. to 9.2 ft., Dia in. to ft., Dia in. to ft. | | | | | | | | | | | |
| Casing height above land surface 14 in., weight 2.29 lbs./ft. Wall thickness or gauge No. 160 | | | | | | | | | | | |
| TYPE OF SCREEN OR PERFORATION MATERIAL: | | | | | | | | | | | |
| 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement | | | | | | | | | | | |
| 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) | | | | | | | | | | | |
| 12 None used (open hole) | | | | | | | | | | | |
| SCREEN OR PERFORATION OPENINGS ARE: | | | | | | | | | | | |
| 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) | | | | | | | | | | | |
| 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes | | | | | | | | | | | |
| 7 Torch cut 10 Other (specify) ft. | | | | | | | | | | | |
| SCREEN-PERFORATED INTERVALS: From 9.2 ft. to 102 ft., From ft. to ft. | | | | | | | | | | | |
| GRAVEL PACK INTERVALS: From 23 ft. to 60 ft., From ft. to ft. | | | | | | | | | | | |
| From 65 ft. to 106 ft., From ft. to ft. | | | | | | | | | | | |
| GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other | | | | | | | | | | | |
| Grout Intervals: From 3 ft. to 23 ft., From 60 ft. to 65 ft., From ft. to ft. | | | | | | | | | | | |
| What is the nearest source of possible contamination: | | | | | | | | | | | |
| 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well | | | | | | | | | | | |
| 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well | | | | | | | | | | | |
| 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) | | | | | | | | | | | |
| 13 Insecticide storage | | | | | | | | | | | |
| Direction from well? NW How many feet? 90 | | | | | | | | | | | |
| FROM | | TO | | LITHOLOGIC LOG | | FROM | | TO | | PLUGGING INTERVALS | |
| 0 | | 32 | | Br Clay | | | | | | | |
| 32 | | 55 | | F-M Sand | | | | | | | |
| 55 | | 92 | | Gr Clay - Rocky | | | | | | | |
| 92 | | 102 | | Sand + Sm Gravel | | | | | | | |
| 102 | | 106 | | Br Clay | | | | | | | |
| CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-24-01 and this record is true to the best of my knowledge and belief. Kansas | | | | | | | | | | | |
| Water Well Contractor's Licence No. 447 This Water Well Record was completed on (mo/day/yr) 6-8-01 | | | | | | | | | | | |
| Under the business name of Miller Drilling by (signature) J Miller | | | | | | | | | | | |
| INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. | | | | | | | | | | | |