WATER			CORD	Form	WWC-	5	Division	of Water	Resources; Ap	p. No.			
			TER WELL:	Fraction NE 1/4 N	JF 1/4 N	JW 1/4	Section N		Township I			lumber E W	
Distance and direction from nearest town or city street address of well if located within city? Approximately 1 mile south and 3 1/2 miles west of							Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: unknown						
Hesston 2 WATER WELL OWNER: Harvey County RWD #1								Longitude: unknown Elevation: unknown					
RR#, St. Address, Box # : 107 N. Walnut							Datum: N/A						
City,	State, ZIP	Code	P.O. Box 124 Peabody, KS 6686	66					Method: N/A	\			
	TE WEI	LL'S	4 DEPTH OF COMPI	LETED WEL	LL	48	3	ft.					
	ATION I AN ''X''	IN	Depth(s) Groundwater	Encountered	(1)		ft.	(2)	ft.	(3)		ft,	
SECT	ION BOX	X:	WELL'S STATIC WA	TER LEVEI	not che	cked ft.	below las	nd surface	measured or	n mo/da	y/yr		
	N x	_	Pump test data Est. Yield unknown gpn	i: Well water	r was r was		it. aiter. ft. after.		nours pu	ımpıng ımping.		gpm gpm	
	NE	.	WELL WATER TO E	E USED AS	: 5 Pub	olic water	supply	8 Air c	onditioning	11	Injection well	l	
w	+	E	1 Domestic 3	Feedlot	6 Oil fie	ld water s	upply	9 Dew	atering	12	Other (Specif	y below)	
sw	SE		2 Irrigation 4			-			-				
	Î		Was a chemical/bacter									/day/yrs	
	S		Sample was submitted			Water	well disin	fected?	Yes	No N	<u>/</u>		
5 TYPI	E OF CAS	SING	USED: 5 Wrought	Iron	8 Con	crete tile	v helow)	CASING	JOINTS: GI	ued Velded	Clamp	ed	
(2) P	VC 4	AB	IP (SR) 6 Asbestos 7 Fiberglas	SS) Out	or (specif	y ociow)		ļ	Threade	d √		
Blank cas	sing diam	eter	2 in. to 7 (stee	l) ft., Diam	eter	2 i	n. to 35 (I	PVC) ft.,	Diameter		in. to	ft.	
Casing h	eight abov	e land	l surface 36 PERFORATION MATE	in., weigh	nt .70-PVC,	3.65-steel	lbs./ft. W	all thick	ness or gaug	ge No.	.154 (b	oth)	
1	Steel	3 Sta	ainless Steel 5 Fibe	rglass (7) PVC	9	ABS		11 Other (Sp	ecify)			
_	Brass OR PER		alvanized Steel 6 Con ATION OPENINGS ARE		8 RM (S	SR) 10	Asbestos	-Cement	12 None use	d (open	hole)		
1	Continuou	s slot	(3) Mill slot 5	Gauzed wrap	pped 7	Forch cut	9 D	rilled hole	s 11 None	(open ho	ole)		
SCREEN	Louvered J-PFRFAI	Shutter RATE	4 Key punched 6	Wire wrappe	a fito	Saw Cut 45	10 Ot	her (Speci	fy)	ft to	• • • • • • • • • • • • • • • • • • • •	ft	
SCICLE	-1 Lid Oi	CIL	From		ft. to		ft	From		ft. to		ft.	
(GRAVEL	PACI	D INTERVALS: From From K INTERVALS: From From	30	ft. to	45.	5 ft.,	From		ft. to		ft.	
(CDOI	TT MATE	DIAT	From	~	ft. to					ft. to		ft.	
Grout In			L: 1 Neat Cement 2 rom 0 ft. to			tonite	4 Other		Bentoni			30 °	
			of possible contamination:	 It.,									
1 Septio				Pit privy		Livestoo	•		cticide Storage ndoned water		16 Other (below)		
2 Sewer	r lines rtight sewei	r lines		Sewage lagoor Feedvard		l Fuel sto: 2 Fertilize	•		well/gas well	well	None kn		
	-					low many	•						
FROM	то		LITHOLOGIC LO	G		FROM	TO		PLUGGI	NG INT	ERVALS		
0 4	26		osoil y, brown, sandy, hard										
26	45		nd, coarse to fine, loos	e and clean	, with			<u> </u>					
			nented sand streaks										
45	45.5	Clay	y, tannish green, hard										
		<u> </u>	77,475										
						,							
							-						
7 CONT	RACTOR	R'S OI	R LANDOWNER'S CE	RTIFICATI	ON: T	his water	well was (1) consti	ructed (2)	reconstr	ucted (3)	plugged	
under my	jurisdiction	n and v	was completed on (mo/day/	year)	5-17-06	and	d this recor	d is true to	the best of m	y knowle	edge and beli	ef.	
			f Clarke Well & Equip		no water		signature)	ipiejed on			7U-Z-UU		
INSTRUC	TIONS: Use	typewi	riter or ball point pen. PLEASE	PRESS FIRMLY a		learly. Ple	ase fill in bla	anks, under					
			of Health and Environment, But ATER WELL OWNER and re							nsas 6661	2-1367. Telep	none	