#20100508 FILE

WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number	
County: HARVEY	W 1/2 NW1/4 NW 1/4 1/4	24 T 22 S R 2 □ E 🗷 W	
Street/Rural Address of Well Location; i	f unknown, distance & direction	Global Positioning System (GPS) information:	
from nearest town or intersection: If at o	owner's address, check here .	Latitude: (in decimal degrees)	
3 M±LES WEST, 11/8 SE	OUTH OF HESSTON, KS.	Longitude: (in decimal degrees)	
	, , , , , , , , , , , , , , , , , , , ,	E16vau011	
2 WATER WELL OWNER: ARN	NLD VOCOT	Datum: WGS 84, NAD 83, NAD 27	
PR# Street Address Roy #: 2 - A	BO O RETURN DR	Collection Method: GPS unit (Make/Model:)	
RR#, Street Address, Box #: 201 A	MOOKETUM	Digital Map/Photo, Topographic Map, Land Survey	
HESS	TON, KS. 67062	Est. Accuracy:	
WITH AN "X" IN 4 DEPTH OF C	COMPLETED WELL	ft. (2)	
SECTION BOX: Depth(s) Ground	dwater Encountered (1)8.3	k ft. (2) ft. (3) ft.	
N WELL'S STAT	N WELL'S STATIC WATER LEVEL & if. below land surface measured on mo/day/yr		
Pump test data: Well water was			
EST. YIELD. 33. gpm. Well water was			
w Bore Hole Diameter7			
WELL WATER	TO BE USED AS: Public water	er supply Geothermal Injection well	
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)			
Irrigation Industrial Domestic-lawn & garden Monitoring well			
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No			
S If yes, mo/day/yr sample was submitted			
1 mile Water well disin	fected? Yes No 56A	L. BLEACH AT TIME OF PLUGGING.	
5 TYPE OF CASING USED: Steel N PVC Other			
CASING JOINTS: X Glued Clamped Welded Threaded			
Casing diameter			
Casing height above land surface			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From 80 ft. to 100 ft., From ft. to ft.			
From			
GRAVEL PACK INTERVALS: From			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other SAND AND SOTA Grout Intervals: From 10. ft., From 10. ft., From 25 ft., From 25 ft. ft. to 10. ft.			
Grout Intervals: From			
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)			
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well			
Watertight sewer lines Seenage nit Seedvard Sertilizer storage MOil well/gas well			
Direction from well N.R.R.TH.E	A 57. Distance	from well HALF A.MILE	
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
O 3 TOP SOIL			
3 27 CLAY TAN			
27 68 CLAY GRAY	INE SAVA		
68 88 SANDY CLAY			
38 100 SAND COURSE	TO FINE		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, plugged under my jurisdiction and was completed on (mo/day/year) 5			
under my jurisdiction and was completed of	on (mo/day/year) 5 = 1.2 = 11 ar	nd this record is true to the best of my knowledge and belief.	
Kansas Water Well Contractor's License N	No No.W.E This Water Well R	ecord was completed on (mo/day/year)82	
under the business name of NONE by (signature) Wild All the business name of NONE			
INSTRUCTIONS: Use typewriter or hall point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies			
(white blue pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .			
KSA 82a-1212		Check: White Copy, Blue Copy, Pink Copy	