

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment—Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Hodgeman	Fraction SE 1/4 SW 1/4 NW 1/4	Section number 5	Township number T 22	Range number S R 21 E/W
2. Distance and direction from nearest town or city: # 3 mi. East 2 1/2 North from Hanston Street address of well location if in city:			3. Owner of well: Joe Hahn R.R. or street: RR#1 City, state, zip code: Hanston, Kansas 67849			
4. Locate with "X" in section below:		Sketch map:			6. Bore hole dia. 30 in. Completion date _____ Well depth 98 ft. 9/11/79	
					7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
					8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
5. Type and color of material					9. Casing: Material steel Height: Above ground _____ Threaded _____ Welded <input checked="" type="checkbox"/> Surface 24 in. RMP _____ PVC _____ Weight _____ lbs./ft. Dia. 16 in. to 58 ft. depth Wall Thickness: inches or Dia. _____ in. to _____ ft. depth gage No. 219	
		From	To	10. Screen: Manufacturer's name W.A. Brown Enterprises Type Steel Dia. 16" Slot/gauze 1 7/8 Open Length 20' Set between 58 ft. and 98 ft. ft. and _____ ft. Gravel pack? Yes Size range of material 20/40		
brown clay		0	35	11. Static water level: _____ mo./day/yr. 41 ft. below land surface Date 5/20/79		
red clay and sand		35	50	12. Pumping level below land surfaces: _____ ft. after 5 1/2 hrs. pumping 550 g.p.m. 69 ft. after 3 1/2 hrs. pumping 950 g.p.m. Estimated maximum yield 1050 g.p.m.		
good sand loose some clay		57	80	13. Water sample submitted: _____ ma./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____		
white chalky clay		80	95	14. Well head completion: <input type="checkbox"/> Pitless adapter 24 inches above grade		
blue clay		95	113	15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 1 ft. to 10 ft.		
rainbow clay		113	120	16. Nearest source of possible contamination: stock ft. 430 Direction nw Type wall Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
				17. Pump: _____ Not installed Manufacturer's name Western Land Roller Model number type C HP _____ Volts _____ Length of drop pipe 80 ft. capacity 450 g.p.m. Type: 5 Stage 10CBowl M Imp. <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
		(Use a second sheet if needed)				
18. Elevation:	19. Remarks:			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Dean Waterhouse Drilling 243 Business name License No. _____ Address Hanston, Kansas 67849 Signed Dean Waterhouse Date 9/11/79 Authorized representative		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley						

T 22
 R 21
 S
 E/W
 Sec 5
 1/4 1/4 1/4 1/4
 SE SW NW