WATE	R WE	LL RECORD	Form W	WC-5	D	ivision of Wate	r Resources App. No	_{).}		
T .		OF WATER WELL: /		_	Sect	ion Number	Township No.	Range N		
	County: Hodgeman					22 T 22 S R 21 DE 7W				
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: /If at owner's address, check here						Global Positioning System (GPS) information: Latitude: .38.12239				
2 1/4 South, 1/2 East of Gray					Long	Longitude: 099.62442 (in decimal degrees)				
2 1/4 Goddi, 1/2 Last of Gray						Elevation:				
2 WATER WELL OWNER: Kent Reece					Datu	<u>Datum</u> : ☐ WGS 84, ☑ NAD 83, ☐ NAD 27				
RR#, Street Address, Box #: 43421 SE P Road						Collection Method: ☐ GPS unit (Make/Model:)				
City, State, ZIP Code : Burdett, KS 67523						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
3 LOCATE WELL						Est. Accuracy:				
	H AN "X			ft.						
SECTION BOX: Depth(s) Groundwater Encountered (1)									ft.	
	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr12-10-15									
Pump test data: Well water wasft. after										
WNW NE E S1. YIELD JWAgpm. Well water was								gpm		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									vell	
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Stock										
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No If yes, mo/day/yr sample was submitted										
Water well disinfected? ✓ Yes □ No										
5 TYPE OF CASING USED: Steel V PVC Other										
CASING JOINTS: ♥ Glued □ Clamped □ Welded □ Threaded										
Casing diameter 5 in to 148 ft. Diameter in to ft Diameter in to ft										
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No										
Steel Stainless Steel PVC Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From 128 ft. to 108 ft. From ft. from ft. ft.										
From 88 ft. to 68 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 148 ft. to 20 ft., From ft. to ft.									ft.	
	GKAV	EL PACK INTERVALS:	rrom!ax From	π. to 		ft., From	ft. t	0	ft.	
From										
Grout Intervals: From										
What is the nearest source of possible contamination:										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								below)		
	☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None									
Direction from well										
FROM 0	TO 18	Top soil & clay	C LOG	FROM	TO	LITHO. LC	OG (cont.) or PLUC	GGING II	NTERVALS	
18	62	Fire clay								
62	70	Shale & sandstone			·					
70	84	Sandstone (HARD)								
84	113	Gray shale								
113 123	123 148	Sandstone Gray shale								
123	140	Gray Shale								
										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year) .12-10-15										
under th	e busine	ss name ofRosencrantz-	∨π Inis \ Bemis Ent Inc	water Well R	ecord w.	as completed	on (mo/day/year)	14-10-1: F ee	?	
INSTRUC	JIIONS:	Use typewriter or ball point pen.	PLEASE PRESS FIRMLY	and <i>PRINT</i> d	early Ple	ase fill in blanks	and check the correct as	nciliare Ca	ad one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html										