

MW-7

2011024

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Hodgeman</u>	<u>SW 1/4 NW 1/4 SW 1/4</u>	<u>23</u>	<u>T 22 S</u>	<u>R 22 E/W</u>

Distance and direction from nearest town or city street address of well if located within city?

West of Main & Logan, Houston

2 WATER WELL OWNER:	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #:	Application Number:
City, State, ZIP Code:	
<u>Jim Wnget</u>	
<u>Box 169</u>	
<u>Houston, Ks 67249</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>42.5</u> ft. ELEVATION: <u>NA</u>		
	Depth(s) Groundwater Encountered 1. <u>34.5</u> ft. 2. ft. 3. ft.		
	WELL'S STATIC WATER LEVEL <u>35.03</u> ft. below land surface measured on <u>mo/day/yr</u> <u>3-2-93</u>		
	Pump test data: Well water was ft. after hours pumping gpm		
	Est. Yield gpm: Well water was ft. after hours pumping gpm		
Bore Hole Diameter: <u>8</u> in. to ft., and in. to ft.	WELL WATER TO BE USED AS:		
1 Domestic	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation	3 Feedlot	9 Dewatering	12 Other (Specify below)
4 Industrial	6 Oil field water supply	10 <u>Monitoring well</u>	
7 Lawn and garden only			
Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> ; if yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes No <u>X</u>	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	9 Other (specify below)	Welded
<u>2 PVC</u>	4 ABS		<u>Inthreaded</u> <u>Flush</u>
Blank casing diameter: <u>2</u> in. to ft., Dia. in. to ft., Dia. in. to ft.			
Casing height above land surface: <u>Flush</u> in., weight: <u>.703</u> lbs./ft. Wall thickness or gauge No. <u>.154</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
1 Steel	3 Stainless steel	9 ABS	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	<u>Mill slot</u>	9 Drilled holes	
2 Louvered shutter	4 Key punched	10 Other (specify)	
SCREEN-PERFORATED INTERVALS:	From <u>27.5</u> ft. to <u>42.5</u> ft., From ft. to ft.		
GRAVEL PACK INTERVALS:	From <u>26.5</u> ft. to <u>42.5</u> ft., From ft. to ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<u>Bentonite</u>	4 Other
Grout Intervals: From <u>26.5</u> ft. to <u>1.0</u> ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	<u>Fuel storage</u>
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
Direction from well? <u>east</u>				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				How many feet? <u>250'</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0.0	12.0	Clay, silt, brown			
12.0	23.0	clay, v silt, v sl sdy, dk brown			
23.0	28.0	Clay, silt, dk brown			
28.0	32.0	Sand, vth - fm, tan			
32.0	42.5	Sand, fm-med, tan			

Flushment water grout on 10-22-92 for
RDHE No. 01042269; Wnget Service
by Don Taylor

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3-2-93</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>531</u> This Water Well Record was completed on (mo/day/yr) <u>3-16-93</u> under the business name of <u>GSI</u> by (signature) <u>Michael R. Watson</u>
