KOLAR Document ID: 1521554

WATER				WWC-5		vision of Wat			Well ID		
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction						ion Number Township Number Range Number			ge Number		
County: 1/4 1/4 1/4						T S R DEDW					
2 WELL C Business: Address: Address: City:	DWNER: La		State:	First: ZIP:		treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
3 LOCATE WELL											
WITH "X	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)						5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
	SECTION DOX. 2) ft. 3) ft., or 4) \Box					ell Datum: 🗌 WGS 84 🔲 NAD 83 🗍 NAD 27					
	WELL'S STATIC WATER LEVEL:					Sour	Source for Latitude/Longitude:				
				-yr) -yr)			unit make/model:				
NW	NE	Pump test da				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
w	E	after	hours				Mapper:				
SW	SE	after	Well v								
		Estimated Y		gpin		6 Elevation:ft. Ground Level TOC					
S		Bore Hole D	ft. and	Sour	Source: \Box Land Survey \Box GPS \Box Topographic Map						
1 m		in. to ft.				□ Other					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
Househ	old					11. Test Hole: well ID					
🗌 Lawn &						Cased Uncased Geotechnical					
2. □ Livestoo	☐ Livestock 8. ☐ Monitoring: well ID ☐ Irrigation 9. Environmental Remediation: well ID						12. Geothermal: how many bores?a) Closed Loop □ Horizontal □ Vertical				
3. G Feedlot							b) Open Loop 🗌 Surface Discharge 🗌 Inj. of Water				
4. Industrial Recovery Injection							13. 🗌 Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel PVC Other (Specify)											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
	Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)										
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. to ft. to ft. Nearest source of possible contamination: No potential source of contamination within 200 ft.											
Septic T			Lateral Line			Livestock P	ens	Insectic	ide Storage		
Sewer L			Cess Pool		goon 🗌	Fuel Storag			oned Water	Well	
				☐ Feedyard		Fertilizer St	torage	∐ Oil Wel	ll/Gas Well		
☐ Other (Specify) Direction from well? ft.											
10 FROM	TO	L	ITHOLO	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
							1				
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)											
Kansas Wat	er Well Con	tractor's Lice	ense No		ater Well Red	cord was co	mplet	ted on (mo-dav-ve	y Knowledge		
	isiness name	of									
KS Departm	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											