1 LOCATION OF WATER WELL:		R WELL RECORD	Form WWC-5				
	Fraction		1	tion Numbe			Range Number
County: Harvey	SE 1/4	SE 1/4 SE	= 1/4	<u> </u>	T 2	S	R 3 B
Distance and direction from neares							
	5 mi E	of Buble	r - 8	413	N wheat	5 Yar	Le
2 WATER WELL OWNER:	Eric Yayle	0-					
RR#, St. Address, Box # :	8413 N Wh	eatstate			Board of A	griculture, (Division of Water Resources
City, State, ZIP Code :	Buhler, Ks	67522			Application	Number:	
LOCATE WELL'S LOCATION W AN "X" IN SECTION BOX:	_	OMPLETED WELL	.5.1	. ft. ELEV	ATION:		
NW NE	Pump Est. Yield	test data: Well water	rwas rwas	ft. ft.	after	hours pu	6-28-96 mping
W I I	1 ti						. to
	1 1		5 Public wate				Injection well
1 SW SE	1 Domestic		~		-		Other (Specify below)
	2 Irrigation	4 Industrial	2 Lawn and g	arden only	10 Monitoring well	• • • • • • • • •	
\	Was a chemical/b	pacteriological sample s	submitted to De	epartment?	YesNo	; If yes,	, mo/day/yr sample was sub-
<u> </u>	mitted			W	ater Well Disinfecter	i? Yes 🏃	No No
5 TYPE OF BLANK CASING USE	D:	5 Wrought iron	8 Concre	ete tile	CASING JOI	NTS: Glue	d Clamped
1 Steel 3 RMF		6 Asbestos-Cement		(specify bel			ed
2 PVC 4 ABS					x.ed		aded
Blank casing diameter	in. to	ft., Dia	In. to		ft., Dia		in. to ft.
odding neight above land surface.		in., weight		lbs	s./ft. Wall thickness of	r gauge N	0
TYPE OF SCREEN OR PERFORA	TION MATERIAL:		7 PV	С	10 Asb	estos-ceme	ent
1 Steel 3 Stair	nless steel	5 Fiberglass	8 RM	P (SR)	11 Othe	er (specify)	
	anized steel	6 Concrete tile	9 AB	, ,		e used (op	
SCREEN OR PERFORATION OPE				J		e useu (op	,
			ed wrapped		8 Saw cut		11 None (open hole)
	3 Mill slot	6 Wire v	wrapped		9 Drilled holes		
2 Louvered shutter	4 Key punched	7 Torch	cut		10 Other (specify)	
SCREEN-PERFORATED INTERVA	LS: From	ft. to		ft Fr	om	ft. t	o
	From	ft to					. 4
	ALS: From From eat cement	ft. to ft. to ft. to	3 Bento	ft., Fı ft., Fı ft., Fı nite	om	ft. t	o
6 GROUT MATERIAL: 1 No	ALS: From From eat cementft. to	ft. to ft. to ft. to	3 Bento	ft., Fi ft., Fi ft., Fi nite	omom om 4 Otherft., From	ft. t	o
6 GROUT MATERIAL: 1 No Grout Intervals: From	From eat cementft. to	ft. to ft. to 2 Cement grout ft., From	3 Bento	ft., Fi ft., Fi ft., Fi nite	om	ft. t. ft. t. ft. t. ft. t. ft. t	o
6 GROUT MATERIAL: 1 No Grout Intervals: From	ALS: From From eat cementft. to	ft. to ft. to 2 Cement groutft., From 7 Pit privy	3 Bento	ft., Fift., Fi ft., Fi nite to	omom om 4 Otherft., From	ft. t. ft. t. ft. t. ft. t. ft. t	o
6 GROUT MATERIAL: 1 No Grout Intervals: From	From eat cementft. to	ft. to ft. to 2 Cement grout ft., From	3 Bento	ft., Fi ft., Fi nite to 10 Live	om	ft. t ft. t ft. t	o
6 GROUT MATERIAL: 1 No Grout Intervals: From	ALS: From	ft. to ft. to 2 Cement groutft., From 7 Pit privy	3 Bento	ft., Fift., Fi ft., Fi nite to	om	ft. t ft. t ft. t	o
GROUT MATERIAL: 1 No Grout Intervals: From	ALS: From	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago	3 Bento	ft., Fift., Fi ft., Fi nite to	om	ft. t ft. t ft. t	o
GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	ft., Fift., Fi ft., Fi nite to	om	14 A 15 C	o
GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	ALS: From	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Insu	om	14 A 15 C 16 C C C C C C C C C C C C C C C C C	o
GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Insu	om	14 A 15 C 16 C 10 UGGING I	o
GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
6 GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
6 GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
6 GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
6 GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
6 GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
6 GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
6 GROUT MATERIAL: 1 No Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well?	From eat cement ft. to sible contamination: ateral lines Cess pool Geepage pit	ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 12 Fer 13 Inse How m	om	14 A 15 C 16 C 10 UGGING I	o
6 GROUT MATERIAL: 1 No Grout Intervals: From	ALS: From	7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	10 Live 11 Fue 12 Fer 13 Inse How m TO 3/ 3	om	14 A 15 O 16 O	o
GROUT MATERIAL: 1 No Grout Intervals: From	ALS: From	7 Pit privy 8 Sewage lago 9 Feedyard LOG ON: This water well wa	3 Bento ft. FROM 5-/ 3 /	10 Live 11 Fue 12 Fer 13 Inse How m TO 3/ 3	om	to the fit.	o
GROUT MATERIAL: 1 No Grout Intervals: From	ALS: From From eat cement ft. to sible contamination:ateral lines Cess pool Geepage pit LITHOLOGIC VNER'S CERTIFICATION 6 -2 8 -9 6	7 Pit privy BSewage lago 9 Feedyard LOG ON: This water well wa	3 Bento ft. FROM 5-/ 3 /	tt., Finter ft., Finter ft., Finiter ft., Fi	constructed, or Opeord is true to the be	ft. t ft. t ft. t 14 A 15 C 16 C	o ft. . ft. to
GROUT MATERIAL: 1 No Grout Intervals: From	ALS: From From eat cement	7 Pit privy 8 Sewage lago 9 Feedyard LOG ON: This water well wa	3 Bento ft. FROM 5-/ 3 /	tt., Finite tt., F	constructed, or (3) poor distruct to the bed on (mo/day/yr)	to the fit.	o
GROUT MATERIAL: 1 Notes of posts of septic tank 4 L 2 Sewer lines 5 C 3 Watertight sewer lines 6 S Direction from well? FROM TO FROM TO	ALS: From From eat cement ft. to sible contamination:ateral lines Cess pool Geepage pit LITHOLOGIC VNER'S CERTIFICATION 6 -2 8 -9 6	7 Pit privy 8 Sewage lago 9 Feedyard LOG ON: This water well wa	3 Bento ft. FROM 5-/ 3 /	tt., Finter ft., Finter ft., Finiter ft., Fi	constructed, or (3) poor distruct to the bed on (mo/day/yr)	ft. t ft. t ft. t 14 A 15 C 16 C	o