

County: Harvey Fraction NW NW NW Sec. 15 T 22 S R 3 E (W3)

CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)

(to rectify lacking or incorrect information)

Owner: Equus Beds GMD #2

Location was listed as:

Location changed to:

Section-Township-Range: _____

Fraction (1/4 1/4 1/4): _____

Other changes: Initial statements: Well Identifier: EB26A

Changed to: EB26B

Comments: _____

Verification method: Pers. comm. from Brownie Wilson (per GMD #2 labeling conventions), and well record in WIZARD database.

initials: DRJ date: 6/12/2015

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL: County: <u>Harvey</u>	Fraction <u>NW 1/4 NW 1/4 NW 1/4</u>	Section Number <u>15</u>	Township Number <u>T 22 S</u>	Range Number <u>R 3</u> EW
--	---	-----------------------------	----------------------------------	--------------------------------------

Distance and direction from nearest town or city street address of well if located within city?

Buhler Grave yard 7 E 1/2 S 6 E side

2 WATER WELL OWNER: RR#, St. Address, Box # City, State, ZIP Code	<u>Eggs Beds GMD #2</u> <u>313 Spruce</u> <u>Halstead KS 67056</u>	Board of Agriculture, Division of Water Resources Application Number: <u>EB 26 A</u>
---	--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL <u>140</u> ft. ELEVATION: <u>43.6</u> ft.
--	---

	Depth(s) Groundwater Encountered <u>1. 43.6</u> ft. 2. <u>43.6</u> ft. 3. <u>43.6</u> ft.
	WELL'S STATIC WATER LEVEL <u>12-1-92</u> ft. below land surface measured on mo/day/yr
	Pump test data: Well water was <u>6</u> gpm. Well water was <u>140</u> ft. after <u>12-1-92</u> hours pumping <u>6</u> gpm.
	Est. Yield <u>6</u> gpm. Well water was <u>140</u> ft. after <u>12-1-92</u> hours pumping <u>6</u> gpm.
Bore Hole Diameter <u>6</u> in. to <u>140</u> ft. and <u>140</u> in. to <u>140</u> ft.	
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> <u>X</u> ; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes <u>No</u> <u>X</u>	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped <u>No</u>
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter <u>2</u> in. to <u>130</u> ft. Dia <u>2</u> in. to <u>130</u> ft. Dia <u>2</u> in. to <u>130</u> ft. Dia <u>2</u> in. to <u>130</u> ft. Dia			
Casing height above land surface <u>36</u> in. weight <u>Sec 40</u> lbs./ft. Wall thickness or gauge No. <u>7 PVC</u>			

TYPE OF SCREEN OR PERFORATION MATERIAL:	1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)	

SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)

SCREEN-PERFORATED INTERVALS:	From <u>130</u> ft. to <u>140</u> ft.	From <u>130</u> ft. to <u>140</u> ft.	From <u>130</u> ft. to <u>140</u> ft.	From <u>130</u> ft. to <u>140</u> ft.
GRAVEL PACK INTERVALS:	From <u>125</u> ft. to <u>140</u> ft.	From <u>125</u> ft. to <u>140</u> ft.	From <u>125</u> ft. to <u>140</u> ft.	From <u>125</u> ft. to <u>140</u> ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<u>3 Bentonite</u>	4 Other
Grout Intervals:	From <u>0</u> ft. to <u>125</u> ft.	From <u>0</u> ft. to <u>125</u> ft.	From <u>0</u> ft. to <u>125</u> ft.	From <u>0</u> ft. to <u>125</u> ft.

What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	13 Insecticide storage	

Direction from well?	How many feet?
----------------------	----------------

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	TS			
5	55	Clay			
55	80	med Sand			
80	105	Clay			
105	140	med Sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>12-1-92</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>537</u> This Water Well Record was completed on (mo/day/yr) <u>12-10-92</u> under the business name of <u>Flowers Drilling</u> by (signature) <u>MDH</u>
--