

County: Harvey Fraction SE SE SE Sec. 21 T 22 S R 3 E (W)

CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)

(to rectify lacking or incorrect information)

Owner: Equus Beds GMD #2

Location was listed as:

Location changed to:

Section-Township-Range: 22-22S-3W

21-22S-3W

Fraction (1/4 1/4 1/4): E 1/2

SE SE SE

Other changes: Initial statements: _____


Changed to: _____

Comments: _____

Verification method: Locations of Equus Beds GMD 2 EB24 series of wells (pers. comm. with Brownie Wilson (KGS) & David Randolph (GMD 2)) and mapping tool on KGS website. initials: DRJ date: 8/28/2015

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL		Fraction	NCO east side		Section Number	Township Number			Range Number			
County: <u>Harvey</u>		$\frac{1}{4}$	$\frac{1}{4}$	<u>E 1/2</u> $\frac{1}{4}$	22	T 22 S			R 3 E/W			
Distance and direction from nearest town or city?					Street address of well if located within city?							
6 miles north, 1 mile east of Burrton												
2 WATER WELL OWNER: <u>Equus Beds GMD #2</u>					Board of Agriculture, Division of Water Resources							
RR#, St. Address, Box #: <u>243 Main</u>					Application Number:							
City, State, ZIP Code: <u>Halstead, Kansas 67056</u>												
3 DEPTH OF COMPLETED WELL: <u>124</u> ft. Bore Hole Diameter: <u>4.0</u> in. to <u>130</u> ft. and <u>130</u> in. to <u>130</u> ft.												
Well Water to be used as:												
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well												
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well 12 Other (Specify below)												
Well's static water level: <u>5.90</u> ft. below land surface measured on <u>3</u> month <u>26</u> day <u>82</u> year												
Pump Test Data: Well water was <u>3</u> ft. after <u>26</u> hours pumping <u>82</u> gpm												
Est. Yield: <u>3</u> gpm Well water was <u>3</u> ft. after <u>26</u> hours pumping <u>82</u> gpm												
4 TYPE OF BLANK CASING USED:					Casing Joints: Glued <u>X</u> Clamped <u> </u>							
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded <u> </u>												
2 PVC 4 ABS 7 Fiberglass Threaded <u> </u>												
Blank casing dia: <u>2.0</u> in. to <u>121</u> ft. Dia <u>121</u> in. to <u>121</u> ft. Dia <u>121</u> in. to <u>121</u> ft.												
Casing height above land surface: <u>121</u> in., weight <u> </u> lbs./ft. Wall thickness or gauge No <u> </u>												
TYPE OF SCREEN OR PERFORATION MATERIAL:					7 PVC 10 Asbestos-cement Johnson Redhead							
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) <u>Wellpoint</u>												
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)												
Screen or Perforation Openings Are:					5 Gauzed wrapped 8 Saw cut 11 None (open hole)							
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes												
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) <u> </u>												
Screen-Perforation Dia: <u>1.25</u> in. to <u>1.25</u> ft. Dia <u>1.25</u> in. to <u>1.25</u> ft. Dia <u>1.25</u> in. to <u>1.25</u> ft.												
Screen-Perforated Intervals: From <u>121</u> ft. to <u>124</u> ft. From <u>124</u> ft. to <u>124</u> ft. From <u>124</u> ft. to <u>124</u> ft.												
Gravel Pack Intervals: From <u>121</u> ft. to <u>124</u> ft. From <u>124</u> ft. to <u>124</u> ft. From <u>124</u> ft. to <u>124</u> ft.												
5 GROUT MATERIAL:					1 Neat cement 2 Cement grout 3 Bentonite 4 Other <u> </u>							
Grouted Intervals: From <u>0</u> ft. to <u>5</u> ft. From <u>5</u> ft. to <u>5</u> ft. From <u>5</u> ft. to <u>5</u> ft.												
What is the nearest source of possible contamination:					10 Fuel storage 14 Abandoned water well							
1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage 15 Oil well/Gas well												
2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 16 Other (specify below)												
3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines												
Direction from well: <u> </u> How many feet: <u> </u> Water Well Disinfected? Yes <u> </u> No <u>X</u>												
Was a chemical/bacteriological sample submitted to Department? Yes <u> </u> No <u>X</u> If yes, date sample												
was submitted: <u> </u> month <u> </u> day <u> </u> year: Pump Installed? Yes <u> </u> No <u>X</u>												
If Yes: Pump Manufacturer's name: <u> </u> Model No. <u> </u> HP <u> </u> Volts <u> </u>												
Depth of Pump Intake: <u> </u> ft. Pumps Capacity rated at <u> </u> gal./min.												
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other												
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was												
completed on <u>7</u> month <u>17</u> day <u>81</u> year												
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>Wichita Water Dept.</u>												
This Water Well Record was completed on <u>10</u> month <u>21</u> day <u>81</u> year under the business												
name of <u>Equus Beds GMD #2</u> by (signature) <u> </u>												
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:												
												
ELEVATION: <u>124</u> ft. <u>130</u> ft.												
Depth(s) Groundwater Encountered 1. <u> </u> ft. 2. <u> </u> ft. 3. <u> </u> ft. 4. <u> </u> ft. (Use a second sheet if needed)												
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.												