


1 LOCATION OF WATER WELL		Fraction	Section Number		Township Number		Range Number	
County: Harvey		SE 1/4 SE 1/4 SW 1/4	28		T 22 S		R 3W E/W	
Distance and direction from nearest town or city? 6E, 2S of Buehler, Kansas				Street address of well if located within city?				
2 WATER WELL OWNER:		H-30		Board of Agriculture, Division of Water Resources				
RR#, St. Address, Box #		251 N. Water, Suite 10		Application Number: Unknown				
City, State, ZIP Code		Wichita, Kansas 67202						
3 DEPTH OF COMPLETED WELL		150 ft. Bore Hole Diameter		8 in. to 150 ft. and		in. to		
Well Water to be used as:		5 Public water supply		8 Air conditioning		11 Injection well		
1 Domestic 3 Feedlot		6 <u>Oil field water supply</u>		9 Dewatering		12 Other (Specify below)		
2 Irrigation 4 Industrial		7 Lawn and garden only		10 Observation well				
Well's static water level		20 ft. below land surface measured on		July month 30 day		1980 year		
Pump Test Data		Well water was		ft. after		hours pumping		gpm
Est. Yield 70 gpm		Well water was		ft. after		hours pumping		gpm
4 TYPE OF BLANK CASING USED:		5 Wrought iron		8 Concrete tile		Casing Joints: Glued Clamped		
1 Steel		3 RMP (SR)		6 Asbestos-Cement		Welded		
2 PVC		4 ABS		7 Fiberglass		Threaded		
Blank casing dia		5 in. to 110 ft. Dia		in. to		ft. Dia		
Casing height above land surface		12 in. weight		2.8 lbs./ft. Wall thickness or gauge No		Sch. 40		
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 <u>PVC</u>		10 Asbestos-cement				
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)		
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		
Screen or Perforation Openings Are:		5 Gauzed wrapped		8 <u>Saw cut</u>		11 None (open hole)		
1 Continuous slot		3 Mill slot		6 Wire wrapped		9 Drilled holes		
2 Louvered shutter		4 Key punched		7 Torch cut		10 Other (specify)		
Screen-Perforation Dia		5 in. to		ft. Dia		in. to		ft.
Screen-Perforated Intervals:		From 110 ft. to 150 ft.		From		ft. to		ft.
Gravel Pack Intervals:		From 10 ft. to 150 ft.		From		ft. to		ft.
5 GROUT MATERIAL:		1 Neat cement		2 Cement grout		3 <u>Bentonite</u>		4 Other
Grouted Intervals: From		0 ft. to 10 ft.		ft. to		ft. to		ft.
What is the nearest source of possible contamination:		1 Septic tank		4 Cess pool		7 Sewage lagoon		10 Fuel storage
2 Sewer lines		5 Seepage pit		8 Feed yard		11 Fertilizer storage		14 Abandoned water well
3 Lateral lines		6 Pit privy		9 Livestock pens		12 Insecticide storage		15 <u>Oil well/Gas well</u>
Direction from well		S How many feet		60		Water Well Disinfected? Yes		No
Was a chemical/bacteriological sample submitted to Department? Yes		No		If yes, date sample				
was submitted		month		day		year: Pump Installed? Yes		No
If Yes: Pump Manufacturer's name		Model No.		HP		Volts		
Depth of Pump Intake		ft.		Pumps Capacity rated at		gal./min.		
Type of pump:		1 Submersible		2 Turbine		3 Jet		4 Centrifugal
		5 Reciprocating		6 Other				
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was		completed on July month 30 day 1980 year						
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No.		186						
This Water Well Record was completed on		August month		25 day		1980 year under the business		
name of Kellys Water Well Service		by (signature) <i>Kellys Water Well Service</i>						
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM TO		LITHOLOGIC LOG		FROM TO		LITHOLOGIC LOG
		0 30		Sandy Clay				
		30 90		Sand and gravel				
		90 95		Clay				
		95 150		Gravel				
ELEVATION: Unknown								
Depth(s) Groundwater Encountered		1 20 ft.		2		3		4 (Use a second sheet if needed)
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.								