

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Harvey

Location listed as:

Section-Township-Range: 17-22 S-3 W

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NW SW NW

Location changed to:

18-22 S-3 W

SE NE NE

Other changes: Initial statements: _____

Changed to: _____

Comments: Latitude = 38.142137° N, Longitude = 97.685194° W.

verification method: GPS coordinates and quarter calls taken from KGS WIZARD database.

initials: DRL date: 8/4/2010


submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Harvey	Fraction NW 1/4 SW 1/4 NW 1/4	Section number 17	Township number T 22 S R 3	Range number 3
2. Distance and direction from nearest town or city: 7 1/2 mi. north of Burrton Street address of well location if in city:			3. Owner of well: Equus Beds GMD #2 R.R. or street: 243 Main City, state, zip code: Halstead, Ks. 67056		
4. Locate with "X" in section below: N  W E S 1 Mile			Sketch map:		
5. Type and color of material			From	To	6. Bore hole dia. <u>4</u> in. Completion date <u>10/25/79</u> Well depth <u>58</u> ft.
Top soil			0	3	7. <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary
Clay red - tan			3	45	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input checked="" type="checkbox"/> Other
Sand & gravel some clay layer			45	58	9. Casing: Material <input type="checkbox"/> Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <u>24</u> in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. <u>2</u> in. to <u>55</u> ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. <u>Sch 40</u>
Clay			58	84	10. Screen: Manufacturer's name <u>Johnson</u> Type <u>wellpoint</u> Dia. <u>1.25 in.</u> Slot/gauze <u>10</u> Length <u>36</u> Set between <u>55</u> ft. and <u>58</u> ft. ft. and <input type="checkbox"/> ft. Gravel pack? <u>no</u> Size range of material <input type="checkbox"/>
					11. Static water level: <input type="checkbox"/> mo./day/yr. ft. below land surface Date <input type="checkbox"/>
					12. Pumping level below land surfaces: ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <input type="checkbox"/> g.p.m.
					13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>
					14. Well head completion: <input type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade
					15. Well grouted? <u>yes</u> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>5</u> ft.
					16. Nearest source of possible contamination: ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
					17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <input type="checkbox"/> Model number <input type="checkbox"/> HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe <input type="checkbox"/> ft. capacity <input type="checkbox"/> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
(Use a second sheet if needed)					
18. Elevation: Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks: EB-36A				
20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Equus Beds GMD #2 Business name <input type="checkbox"/> License No. <input type="checkbox"/> Address <u>243 Main, Halstead, Ks.</u> Signature <u>Thomas C. Bell</u> Date <u>12/6/79</u> Authorized representative					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:

Section-Township-Range: 18-225-3W

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NE NE SE

County: Harvey

Location changed to:

18-225-3W

SE NE NE

Other changes: Initial statements: _____

Changed to: _____

Comments: Latitude = 38.142137° N., Longitude = 97.685194° W.

verification method: GPS coordinates & quarter calls taken from
KGS WIZARD database.

initials: DR date: 7/3/2006

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

