WATE	R WEL	LL RECORD	Form WV	VC-5	Division	n of Water	Resources App. No	0.	
1 LOCATION OF WATER WELL:			Fraction		Section N		•	Range Number	
County: Harvey			NW 1/4 SE 1/4 NW					R 3 DE VW	
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
	from nearest town or intersection: If at owner's address, check here \checkmark .					Latitude: (in decimal degrees)			
1	14811 E 82nd Ave					Longitude: (in decimal degrees) Elevation:			
Buhler, KS 67522					Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: RV Farms					Collection Method:				
RR#, Street Address, Box #: 14811 E 82nd Ave					GPS unit (Make/Model:)				
City, State, ZIP Code : Buhler, KS 67522					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Est. Accuracy:									
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 132 ft.									
1	HAN A	10							
	N N	WELL'S STATIC WATER LEVEL10							
l	Pump test data: Well water wasft. after hours pumping gpm								
	FOT WIFE D 1200 Well automore & shows numning gram								
w N	NW NE								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SW SE									
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No									
S If yes, mo/day/yr sample was submitted									
mile Water well disinfected? ☑ Yes □ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded									
Casing diameter .16 in. to .90 ft., Diameter in. to ft., Diameter ft.									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot									
□ Louvered shutter □ Key punched □ Wire wrapped ☑ Saw cut □ Other (specify)									
SCREEN-PERFORATED INTERVALS: From90									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other									
Grout Intervals: From .3 ft. to .20 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well									
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well none open field									
Direc		n well		_	from well	_			
FROM	TO	LITHOLOG		FROM				IGGING INTERVALS	
0	3	Top Soil							
3	15	Sand							
15	35	Clay							
35	60	Sand							
60	65	Clay							
65	74	Medium Sand							
74	90	Clay				Origi	nal Returned	to Sender	
90	130	Med. Sand				-			
		<u> </u>				TOP	orrection D	ate: <u>8/5/</u>/ 0	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .7/16/10									
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 7/19/10									
under the business name of Premier Pump and Well Service, Inc. by (signature) By (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
		Use typewriter or ball point pen o Kansas Department of Health							
Telephone	e 785-296-	5522. Send one copy to WAT							
http://www.kdheks.gov/waterwell/index.html									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									