			WATER W	ELL RECORD	Form WV	VC-5 K	SA 82a-121	2			
1'1	N OF WATE	R WELL:	FRACTION			TION NUMBE	1	I	RANGE NU		
Harv			NE 1/4		W 1/4	19	T 22	S	R 3W	/ E/W	
1				I if located within city?	XX 4 - C C	D	D. C2.1.	COM COAL			
	7 SW 601			1 1/2 mile	e West of S.	Burmac	Rd., So side o	of SW 60th			
	ER WELL (JNG, Mark					Board of Agric	ulture, Division of W	ater Resource	
RR#,ST.	ADDRESS		7 SW 60th ton, Kansas		_			A 11 11 1			
					=-	P CODE:	FI SWATION	Application Num	ber:		
	E WELL'S LO IN "X" IN SEC	CTION BOX:	DEPTH OF COMP				ELEVATION:				
 	N	De	pth of groundwate		ft			ft.		ft.	
	X	W	ELL'S STATIC WA		, 	W LAND S	JRFACE MEASU	RED ON mo/da	ay/yr: 10/26	5/10	
	- N W	- · NE		mp test data: We	II water was		ft. after	hours	of pumping @	gpr	
Wile w		' l l	Est. Yield:	1.0	ll water was		ft. after	hours	of pumping @	gpn	
			ore Hole Diameter		to	70 ft	. and	in.	to	ft.	
-	-sw	3_	ELL WATER TO B . Domestic 3.		e water eunaly	C7 Lawn	and garden only	9. Dewaterin	.9	tion well	
		· · · · · · · · · · · · · · · · · · ·			eld water supply			10. Monitorin	12. Other (Sp	ecify below	
	S		-	riological sample submitte		YES	NO		hat mo/day/yr w	as sample	
	3		bmitted	notogiosi osmipio ossimio	о обранители		Water Well Disinfe	ected?	YES N	10	
5 TY	PE OF CAS	ING USED:	5 Mrought	Iron 7. Fiberg	does 9. C	ther (Specif	v below) CASI	NG JOINTS: C	Glued	Threaded	
	. Steel	3. RPM (SF	,	_	en.	R-26	,		Welded	Clamped	
	2. PVC	4. ABS	6. Asbestos	s-Cement 8. Concr	ete tile SD	K-20					
Blank cas	ing diamete	er 5	in. to	55 ft., Dia	. in.	to	ft., C	Dia. ii	n. to	ft.	
Casing h	eight above	land surface:	12 _{in.,}	Weight:	2.35	bs. / ft.	Wall thic	kness or gauge	e No214		
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)											
2. Bras	ss 4	. Galvanized	6. Concrete T	Tile 8. RMP (S	SR) 10. A	sbestos-Ce	ment 12. Nor	ne used (open h	nole)		
SCREEN	OR PERFO	RATION OPENING	GS ARE:								
	nuous slot			Gauzed wrapped	7. To	rch cut	9. Drille	d holes	11. None (o	pen hole)	
i .							Saw cut 10. Other (specify)				
2. Louve	srea Snutte	er 4. Key p	unched 6.	Wire wrapped		WCut	ro. Othe	(Specify)			
SCREEN -	PERFORA	TION INTERVAL	From	55 ft.	to 70	ft.,	From	ft.	to	ft.	
			From	ft.	to	ft.,	From	ft.	to	ft.	
G	RAVEL PA	CK INTERVALS:	From	24 ft.	to 70	ft.,	From	ft.	to	ft.	
İ			From	ft.	to	ft.,	From	ft.	to	ft.	
6 GROU	JT MATERI	ALS: 1 Nest	aamant	2 Coment Grout		2 Pontonite					
1. read of the plag										0	
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to What is the nearest source of possible contamination:									ft.		
1. Septic tank 4. Lateral lines 7. Pit privy 10. L						stock pens 13. Insecticide storage 15. Oil well/Gas well					
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11						Fuel storage 14. Abandon water well 16. Other (specify below)			ecify below		
3 Water	rtight sewe	rline 6. Seepa	ge pit 9	. Feed yard	12. Fertilize	r storage			None ap	parent	
,	from well?		0 • • • • • • • • • • • • • • • • • • •				How ma	ny feet?			
From	То		LITHOLOGIC	CLOG	From	То		LITHOLO	GIC LOG		
0	3	topsoil									
3	7	clay									
7	15	sandy clay									
15	26	fine sand									
26	34	medium sand	l			 					
34	45	clay				-					
<u>45</u> 50	50 55	sandy clay fine sand			_						
55	70	medium sand	1								
		Sailt Sailt									
						₩					
						<u> </u>					
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and											
was completed on (mo/day/year) 10/26/2010 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/29/2010											
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp											