WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number	
County: Harvey	1/4 NE 1/4 NW 1/4 SE!	¼ 29 T 22 S R 3 □E 🛛 W	
Street/Rural Address of Well Location;	if unknown, distance & direction	Global Positioning System (GPS) information:	
from nearest town or intersection: If at	owner's address, check here .	Latitude: (in decimal degrees)	
1/2 Mi NW of Boomac	DA , N/1 1/8 5	Longitude: (in decimal degrees)	
2 MI NW of Burmac	NA 4 18W 70	Elevation:	
2 WATER WELL OWNER: Rev	- / C	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
RR#, Street Address, Box #:	erly Spragg 525	Collection Method:	
		☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
Ruri	ton, KS 67020	Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m	
3 LOCATE WELL	•		
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL82.	ft.	
SECTION BOX: Depth(s) Ground	dwater Encountered (1)	ft. (2) ft. (3) ft.	
N WELL'S STAT	IC WATER LEVEL	ft. below land surface measured on mo/day/yr. 61.71	
Pump	test data: Well water was 2.9	oft. after	
EST. YIELD	gpm. Well water was	ft. after hours pumping gpm	
W E Bore Hole Diam		ft., andft.	
		ater supply	
Domestic		ater supply	
		awn & garden Monitoring well Syock	
		to Department? Yes No	
	day/yr sample was submitted		
water well disir	fected? Yes No		
5 TYPE OF CASING USED:			
CASING JOINTS: 🔯 Glued 🔲 Clar	nped 🗌 Welded 🔲 Thread	ed	
Casing diameter			
Casing height above land surface			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)			
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched	☐ Wire wrapped	Other (specify)	
Louvered shutter			
From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: Neat ceme			
Grout Intervals: From Q ft. to \(\mathbb{2} \). ft., From ft. to ft., From ft. to ft.			
What is the nearest source of possible conta		—	
. = : =	nes Pit privy Livestocl		
Sewer lines Cesspool Watertight sewer lines Seepage	☐ Sewage lagoon ☐ Fuel store oit ☐ Feedyard ☐ Fertilizer		
Direction from well		te from well	
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
		TO EITHOLEGG (conc.) of Teogorito INTERVAL	
0 4 Br Sandy Sin			
18 31 Gr Clay			
31 53 Gr F-M Se	1		
53 82 Br F-C Sau			
	14		
82 85 Br Clay			
7 CONTRACTOR'S OR LANDOWNER	2'S CERTIFICATION: This wa	ater well was 🔀 constructed, 🗌 reconstructed, or 🗌 plugged	
under my jurisdiction and was completed of	n (mo/day/year) 6-/7-//	and this record is true to the best of my knowledge and belief	
under my jurisdiction and was completed on (mo/day/year)			
under the husiness name of Miller	Drilling	by (signature) - Maille	
under the business name of Miller Drilling by (signature) by (signature) Mpiller British business name of Miller Drilling by (signature)			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			
	ER WELL OWNER and retain one for	r your records. Include fee of \$5.00 for each constructed well. Visit us	
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212			
NDA 024-1212			