		L RECORD	rorm w	WC-5	Dr		r Resources App. N		
1 LOCATION OF WATER WELL:		Fraction		1			Range Number		
County: Harvey			1/4 NE 1/4 SE			11	T 22 S		
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
From Burton 4 S. 1/2 W. 1/4 N.						Longitude: (in decimal degrees) Elevation:			
						Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Josh Regier						Collection Method:			
RR#, Street Address, Box #: 525 Park Place					GPS unit (Make/Model:)				
City, State, ZIP Code : Moundri			ige, Kansas 67107		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m									
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL90 ft.									
	SECTION BOX: Depth(s) Groundwater Encountered (1)								
520.	N WELL'S STATIC WATER LEVEL 45ft. below land surface measured on mo/day/yr. 11-20-12								
	Pump test data: Well water wasft. after hours pumping								
EST. YIELDgpm. Well water wasft. after hours pumping									
w NY	V N	E Bore Hole Diam	Hole Diameter 40in. to .90ft., andin. toft.						
WELL WATER TO BE USED AS:									
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No									
	S		day/yr sample was sub		•••••				
	1 mile	Water well disin	fected? 📝 Yes 🗌	No					
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded									
Casing diameter .16 in. to .70									
Casing height above land surface. 24									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From 90 ft. to 20 ft., From ft. to ft.									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
Grout Intervals: From .20 ft. to .0 ft., From ft. to ft., From ft. ft.									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well									
Sewer lines									
		n well						••••••	
FROM	ТО	LITHOLOG		FROM	ТО			GGING INTERVALS	
0	3	Top soil							
3	12	Reddish brown clay							
12	43	Light brown clay							
43	47	Fine sand							
47	56	Small sand				· · · · · · · · · · · · · · · · · · ·			
56	58	Tan clay	The state of the s						
58	71	Fine to small sand							
71	88	Small to fine sand							
88	90	Gray shale							
		,							
7 CONT	RACT	OR'S OR LANDOWNER	'S CERTIFICATIO	N: This wat	er well w	as Z constr	ucted, reconstr	ucted, or plugged	
under my jurisdiction and was completed on (mo/day/year) .1.1:20-2012 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 12-12-2012									
under the business name of Rosencrantz-Bemis Enterprise by (signature)									
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html .									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									