WATER WEL	L RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. No	13,916	
1 LOCATION	OF WATER WELL:	Fraction			on Number	Township No.	Range Number	
County: Finne		4 NW 4 SE			6	T 22 S	R 32 □E 🗹 W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Latitu Longi	Global Positioning System (GPS) information: Latitude: .38.16668 (in decimal degrees) Longitude: 100.87879 (in decimal degrees) Elevation:			
2 WATER WELL OWNER: K.L. Johnson Trucking, Inc. RR#, Street Address, Box #: 302 Bellvue				Datum Collect	Datum: WGS 84, NAD 83, NAD 27 Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : Garden City, Ks 67846				Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: 3 m, 3-5 m, 5-15 m				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 238								
SECTION BOX: Denth(s) Groundwater Encountered (1) ft (2) ft (3)							3) ft.	
WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr, 6/25/09								
Pump test data: Well water was 164								
W -NW - NE EST. YIELD								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SWSE □ Domestic □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below) □ Industrial □ Domestic-lawn & garden □ Monitoring well								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☑ Yes ☐ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .16								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
✓ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From. 20 ft. to238 ft., From								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout Intervals:	from .9 It. to st source of possible contr	mination:	1	It. to	ft.,	From	. ft. toft.	
Septic tan			Livestock	pens	☐ Insecticide	storage Oth	er (specify below)	
Sewer line			Fuel stora			l water well	(1)	
Direction from		oit Feedyard	Fertilizer s		Oil well/ga	as well	***************************************	
FROM TO	LITHOLOG	IC LOG	FROM	TO			GGING INTERVALS	
	Top Soil		162	176	Loose Fine	to Medium San	d	
2 35	Soft Brown Clay		176	182		ew Brown Clay		
	Bluish-Gray Sticky Clay Soft, Sticky Light Brow	*************************************	182	196		, White Brokn Rol		
	Loose Medium Coarse		196 204	204 205	Light Brow	ind, White Broker in Clay	1 KOCK	
	Soft, Light Brown Clay		205	212	~~~~	dium Sand		
	Flaky Light Brown Clay	1	212	228		Sm Grvl, White I	Broken Roc	
	Gypsum		228	238	Grav Shale			
	Brown Clay, Cemented					**		
124 162 Very Loose, coarse Sand								
under my jurisdiction and was completed on (mo/day/year) .6/18/2009 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No145 This Water Well Record was completed on (mo/day/year), 6/26/2009								
under the business name of Henkle Drilling & Supply Co., Inc. by (signature) Putter & Reichard								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								